

PRODUCT GUIDE 2020/21

TURNTABLES • HIFI ELECTRONICS • LOUDSPEAKERS

About Pro-Ject 4–5

Headquarters 6

Handmade in Europe 7 Product Overview 8–15



Turntables 16–53



Hifi Electronics 54–83



Speakers 84–89



Accessories 90–117





LPs 118–125

Anniversary Products 126–129

ABOUT PRO-JECT



1991 THE START

with the launch of the first Pro-Ject turntable, named Pro-Ject 1, CEO Heinz Lichtenegger founded the brand.



after the collapse of the iron curtain, Heinz Lichtenegger formed a partnership with a former Tesla factory in Czech Republic that is, until today, producing for Pro-Ject Audio Systems.

4



2000 NEW FACTORIES

in order to produce the electronics, new partnerships were formed in Czech Republic and Slovakia.

1998 BOX-DESIGN

1997

DEBUT

with the idea of

turning a Hifi product

the Debut Turntable

into a lifestyle product,

was born and was sold almost

1994

turntable

Pro-Ject 6

first High End

1 Million times until today.

Pro-Ject started to produce their own Hifi Electronics.





2015 ARTIST COLLECTION

the turntable collection in cooperation with famous musicans started with austrian artist Parov Stelar, Later: The Beatles, Rolling Stones, Vienna Philharmonics and others.

2007 DIGITAL ENTRY

Pro-Ject introduces first digital products: Pre Box, Amp Box, and DAC Box.







.

2020 PRO-JECT TODAY

has more than 5.000 dealers in 80 countries, is world leader for Hifi turntables and Micro High End components, has won over 100 international Awards, among several EISA Awards and the Red Dot Design Award and has over 500 employees in 4 factories.

HEADQUARTERS

2017

opening of the new headquarters in Lower Austria, including an office, a logistics center, administration, Research & Development and a reference Pro-Ject shop.

HEADQUARTERS

Our headquarters is located 35 kilometers north of Vienna in the beautiful Weinviertel region. It was opened in August 2017. The facility spans a total area of 12,200 m² and covers three main business divisions. The elegant foyer adjacent to our flagship showroom leads to the 1,200 m² office area. Three listening and demo rooms showcase our product categories visually and aurally. Next to our office areas, is the 130 m² development and service center. The heart of our headquarters is a 300 m² Atrium – a green landscaped courtyard with a pond. Towards the back of the building, we have an extensive 3.000 m² warehouse area from which 6 truck docks are daily provided with the over 4.000 pallets we ship every year to over 80 countries. The 450 m² order and pick-up area includes a small parts warehouse with a height of more than eight meters. The headquarter was built to the highest design and efficiency standards.











HANDMADE IN EUROPE


With cutting edge technologies and machines, we create visually pleasing products with attention to the finest details. Our entire turntable range is hand built in Czechia from scratch - by hand and inhouse. From the tiniest screw to the chassis, everything is made by our technicians. A strict four-step quality control ensures that everything works as intended. In Slovakia, we manufacture micro-sized high-end audio components. By shrinking the cabinets in size, our micro-sized gear save costs and offer our customers extreme value for high-performance products. We pride ourselves on producing products that have long-lasting value and give our customers satisfaction for all their audio needs.





Turntables





Elemental Line

Elemental VT-E VT-E BT



Primary Line

Primary E Primary E Phono




22

Juke Box Line

Juke Box E Juke Box E - Hifi Set Juke Box S2 Juke Box S2 - Stereo Set





26

T Line

T1 T1 Phono SB T1 BT



Essential III Essential III SB Essential III HP

46

34



The Classic


The Classic Evo



RPM Line


RPM 1 Carbon RPM 3 Carbon RPM 5 Carbon RPM 9 Carbon RPM 10 Carbon

40



X Line

X1 Х2 6 Perspex SB Xtension 9 Evolution Xtension 10 Evolution Xtension 12 Evolution 44



Signature Line

Signature 10 Signature 12

The Classic

8

PRODUCT OVERVIEW



Essential Line

- Essential III Bluetooth Essential III Digital Essential III Phono Essential III RecordMaster










Debut Carbon EVO Debut Carbon (DC)



Special Editions

Debut RecordMaster



Artist Collection

The Beatles George Harrison Ringo Starr **Rolling Stones** Parov Stelar Hard Rock Hans Theessink DelaDap

Hifi Electronics



58



E Line

Sources Bluetooth Box E DAC Box E

Phono Optical Box E Phono Phono Box E Phono Box E BT Record Box E

Remote Control Control it

Mobile DAC Box E Mobile



C Line

<u>Phono</u> Phono Box MM Phono Box Phono Box USB Phono Box USB V

Sources DAC Box TV



60

S2 Line

<u>Amplifier</u> Amp Box S2 Head Box S2 MaiA S2 Pre Box S2 Analogue Stereo Box S2 Stereo Box S2 BT

<u>Phono</u> AD Box S2 Phono Phono Box S2 Phono Box S2 Ultra Tube Box S2

Sources Bluetooth Box S2 CD Box S2 DAC Box S2+ Head Box S2 Digital Pre Box S2 Digital Stream Box S2 Ultra Stream Box S2 Tuner Box S2

<u>Power</u> Accu Box S2 Accu Box S2 USB Power Box S2

<u>Remotes</u> Remote Box S2 Control it Pre Box S2

Chrome Edition NEW 70

DS2 Line

<u>Amplifier</u> Amp Box DS2 Amp Box DS2 Mono Head Box DS2 B MaiA DS2 Stereo Box DS2 Pre Box DS2 analogue Pre Box DS2 digital

Sources CD Box DS2 T CD Box DS2 DAC Box DS2 ultra Stream Box DS2 T

Phono Phono Box DS2 Phono Box DS2 USB Tube Box DS2

Power Power Box DS2 Sources Power Box DS2 Amp

76

RS Line

<u>Amplifier</u> Amp Box RS Amp Box RS mono Head Box RS Pre Box RS Pre Box RS Digital Stereo Box RS

<u>Sources</u> CD Box RS DAC Box RS Stream Box RS

<u>Phono</u> Phono Box RS

<u>Power</u>

Remote Control Control it DS/RS Control it RS


PRODUCT OVERVIEW



Power Box RS Amp Power Box RS Phono Power Box Uni 1-way Power Box Uni 4-way

82






<u>Sources</u> CD Box RS2 T Pre Box RS2 Digital DAC Box RS2

Phono Phono Box RS2

Speakers



101

103



Dustcovers

Lifestyle

Cover it E Cover it RPM 1/3 Carbon Cover it RPM 5/9 Cover it 1 Cover it 2.1

Felt Mat Rack it Wallmount it

PRODUCT OVERVIEW

Accessories

96

100



Brush it

Spin Clean

VC-S 7" Kit Sweep it E

Sweep it S2

Vinyl Clean

Wash it

Vinyl Cleaning



Headphones

Hear it One Hear it Two Vinyl Cleaner VC-E Vinyl Cleaner VC-S2 ALU

104



Cables

Audio Cables Connect it E Connect it C Connect it CC Connect it SI

Speaker Cables Connect it LS S2 Connect it LS DS2 Power Cables Connect it Power DS Connect it Power RS High Power it Juke Box Highpower Supply

Accessories


108

112



Sound Optimizing

Acryl it Acryl it E Acryl it RPM1 Carbon Acryl it RPM3 Carbon Clamp it Cork it Cork & Rubber it Damp it Ground it E



78 RPM 78 rpm Pulley Set

Pulley SB

 \bigcirc

118



LPs

113

116



Tonearms

9 cc 10 cc 9 cc Evolution 10 cc Evolution 12 cc 12 cc Evolution Signature Tonarm 9" Signature Tonarm 10"



Cartridges

Pick it 2M Silver Pick it 25A Pick it S2 MM Pick it DS2 MC Pick it S2 C

126



Anniversary Products

Ortofon Century Phono Box ultra 500

PRODUCT OVERVIEW

LPs

Anniversary Products





Debut Carbon EVO

Time for Evolution!
> Page 30

ELEMENTAL LINE

Elemental

Audiophile plug&play turntable.

Cartridge Ortofon OM 5E

Elliptical stylus **Chassis and Platter** Veneered particle board Phono out Central mass point

Colour Options

made from concrete

Cartridge Ortofon OM 5E

Elliptical stylus **Chassis and Platter** Veneered particle board Phono out

Left "L" or "R" righthanded version


Colour Options

VT-E BT

Cartridge Ortofon OM 10 Elliptical stylus

Chassis and Platter Made from MDF/plywood Line or Phono Left "L" or "R" righthanded version

Colour Options



Minimalism meets outstanding sound quality

With the Elemental Line we are aiming for turntables with the lowest possible material expenses without making compromises in sound quality.





Tonearm 8,6", aluminium Saphire bearing

Output Pre mounted RCA cable RCA cable

Drive Principle Belt drive on platter

Felt mat, power supply,

Included Items

Speed 33/45 RPM Manual change

Size and Weight 415 x 90 x 300 mm (WxHxD) 2.7 kg (net)

Matt white, grey, red: 199 €

Vertical turntable with easiest possible vertical set-up including wall-mount option!

Tonearm 8,6", one-piece alu, saphire bearings

Output

Drive Principle Belt drive on platter

Included Items Record clamp, felt mat, power supply, ConnectitE

Speed 33/45 RPM Electronic change

Size and Weight 430 x 345 x 245 mm (WxHxD) 2.8 kg (net)



Matt white, black, red: 349 €

Vertical Bluetooth turntable with easiest possible vertical set-up including wall-mount option!

Tonearm 8,6", one-piece alu, saphire bearings

Output Bluetooth


Drive Principle Belt drive on platter

Included Items Record clamp, felt mat, power supply, ConnectitE

Speed 33/45 RPM Manual change

Size and Weight 415 x 345 x 245 mm (WxHxD) 2.8 kg (net)

High-Gloss white, black, red: 449 €



Perfect Turntable for vinyl-beginners

The Primary Line offers excellent craftsmanship, high class components and wonderful sound. It is our traditional entry-level range and gives a qualitative high price-performance-ratio.

Primary E

Audiophile plug&play turntable.

Cartridge Ortofon OM Spherical stylus

> **Chassis and Platter** Made of plywood

Colour Options

Primary E Phono



Colour Options

Cartridge Ortofon OM

Spherical stylus

Chassis and Platter

Made of plywood

Tonearm 8,6", aluminium Saphire bearing

Output Phono out Pre-mounted RCA cable

Drive Principle Belt-drive with synchronous motor

Included Items Dust cover, felt mat, power supply, Connect it E

Speed 33/45 RPM Manual change

Size and Weight 420 x 112 x 330 mm (WxHxD) 4.0 kg (net)



Matt white, black, red: 229 €

Audiophile plug&play turntables with built in phono stage.

Tonearm 8,6", aluminium Saphire bearing

Output Switchable Line/Phono Dust cover, felt mat, Gold-plated contacts

Drive Principle Belt-drive with synchronous motor

Included Items power supply, ConnectitE


Speed 33/45 RPM Manual change

Size and Weight 420 x 112 x 330 mm (WxHxD) 4.0 kg (net)



Matt white, black, red: 279 €

JUKE BOX LINE



Audiophile "All-in-one Plug & Play" Turntable system

The Juke Box Line is the optimum solution with analogue and digital inputs, a power amplifier and true stereo sound built into the chassis of a great sounding turntable.



Juke Box E A turntable, phono stage, Bluetooth recei ver, line pre-amplifier and power amplifier in one!

Colour Options

Juke Box S2



Juke Box S2 - Stereo Set

Cartridge Ortofon Pick it 25A Elliptical stylus

Chassis and Platter MDF and Acryl High contrast display Potentiometer on front for controlling the unit

Colour Options

Cable Set Juke Box S2 Speaker Box 5 S2 Damp it A turntable, phono Audiophile 2-way mo-Speaker cable: Damping feet that Low distortion level, stage, Bluetooth receinitor speakers using effectively prevent ver, line pre-amplifier bass reflex system. transmission of neutral sound and power amplifier More infos on page 87. unwanted vibrations. in one!

Colour Options

Prices (Suggested Retail Prices) are only for orientation and can differ depending on local taxes. Prices, technical data and realease date without engagement.













High contrast display Potentiometer on front for controlling the unit

Cartridge

Ortofon OM 5E

Elliptical stylus

Chassis and Platter

Colour Options

Juke Box E

A turntable, phono stage, Bluetooth receiver, line pre-amplifier and power amplifier in one!

Tonearm	
8,6", aluminium	
Saphire bearing	

Outputs Speakers, Line out (fixed), Phono out

> Inputs Bluetooth, 1x Line



Drive Principle Belt drive on platter Aluminium pulley

Included Items Dust Cover, Felt mat, Power supply, IR Remote, Connect it E (RCA cable),

Speed 33/45 RPM Manual change

Size and Weight 415 x 118 x 334 mm (WxHxD) 5 kg (net)

High-Gloss white, black, red: 499 €

A complete set including a turntable, speakers, and cables.

	Speaker Box 5	Damp it	Cable Set
	Audiophile 2-way mo-	Damping feet that	Speaker cable:
ei-	nitor speakers using	effectively prevent	Low distortion level,
r	bass reflex system.	transmission of	neutral sound
	More infos on page 86.	unwanted vibrations.	

Glossy white, black, red: 799 €

A premium turntable, phono stage, Bluetooth receiver, line pre-amplifier and power amplifier in one!

Tonearm 8,6", aluminium Saphire bearing

Outputs Speakers, Line out (fixed), Phono out

Inputs Bluetooth, 1x Line **Drive Principle** Belt drive on platter Aluminium pulley

Included Items Dust Cover, Felt mat, Power supply, IR Remote, Connect it E (RCA cable),

Speed 33/45 RPM Manual change

Size and Weight 415 x 118 x 334 mm (WxHxD) 5 kg (net)


Eucalyptus or Walnut: 699 €

A complete set including a turntable, speakers, and cables.



Eucalyptus or Walnut: 1.199€

T LINE



A New Generation of Turntables

The T1 is the first T Line turntable, aiming to deliver true high-fidelity sound on a limited budget.



T1

T1 Phono SB



T1 BT



Elliptical stylus (MM) Chassis and Platter Plywood (2.5cm thick) Blasted-glass platter (8mm thick)

Cartridge

Ortofon OM 5E

Colour Options




Pushing Audiophile Design to a new Affordable Level.

Cartridge Ortofon OM 5E Elliptical stylus (MM)	Tonearm 8,6", one-piece alumi- nium, fast traction	Drive Principle Belt drive on sub-plat- ter aluminium pulley	Speed 33/45 RPM manual change
Chassis and Platter Plywood (2.5cm thick) Blasted-glass platter (8mm thick)	Output Phono Out	Included Items Dust cover, felt mat, power supply, Connect it E	Size and Weight 415 x 100 x 335 mm (WxHxD) 3,8 kg (net)
Colour Options	● ● 299€		

Takes all of the features of the regular T1 and adds a line-level output and electronic speed control.

Cartridge Ortofon OM 5E Elliptical stylus (MM)	Tonearm 8,6", one-piece alumi- nium, fast traction	Drive Principle Belt drive on sub-plat- ter aluminium pulley	Speed 33/45 RPM electronic change
Chassis and Platter Plywood (2.5cm thick) Blasted-glass platter (8mm thick)	Output Switchable Line or Phono	Included Items Dust cover, felt mat, power supply, Connect it E	Size and Weight 415 x 100 x 335 mm (WxHxD) 3,8 kg (net)
Colour Options	● ● 349€		

Takes all of the features of the regular T1 and adds a line-level output and Bluetooth.



ESSENTIAL LINE

The audiophile entry-level turntable.

Cartridge

Ortofon OM 10

Elliptical stylus

Chassis and Platter

Made of resonance

in-sensitive MDF

Colour Options

Essential III

Essential III Phono



Elliptical stylus **Chassis and Platter** Made of resonance in-sensitive MDF

Cartridge

Ortofon OM 10

Colour Options

Cartridge

Ortofon OM 10

Elliptical stylus

Chassis and Platter

Made of resonance

in-sensitive MDF

Essential III SB

Colour Options

Essential III Bluetooth



Elliptical stylus **Chassis and Platter**

Made of resonance

in-sensitive MDF

Cartridge


Ortofon OM 10

Colour Options



Find the perfect Turntable for your needs

The Essential III Flexi-Range is a family of turntables. All share their core DNA, but like in any good family, each member has its own strengths. Each Essential model comes equipped for the exact needs of the customer.





Tonearm 8,6", one-piece alu, saphire bearings

Output Phono out pre-mounted RCAcable Connect it E

Drive Principle Belt drive on platter Aluminium pulley

Included Items Dust cover, felt mat, power supply, Connect it E

Speed 33/45 RPM Manual change

Size and Weight 415 x 95 x 330 mm (WxHxD) 5.0 kg (net)

High-Gloss white, black, red: 359 € 💮 walnut: 399 €

Takes all of the advantages of the regular Essential III and adds a line-level output.

Tonearm 8,6", one-piece alu, saphire bearings

Output Switchable Line or Phono

Drive Principle Belt drive on platter Aluminium pulley


Included Items Dust cover, felt mat. power supply, ConnectitE

Speed 33/45 RPM Manual change

Size and Weight 415 x 95 x 330 mm (WxHxD) 5.0 kg (net)


High-Gloss white, black, red: 399 € 🚺 walnut: 449 €

Allows the listener to change speeds with the push of a single button.



A modern high fidelity Bluetooth turntable.

Tonearm **Drive Principle** Speed 33/45 RPM 8,6", one-piece alu, Belt drive on platter Aluminium pulley Manual change saphire bearings Size and Weight Output Included Items Switchable Line or 415 x 95 x 330 mm Dust cover, felt mat, Phono power supply, (WxHxD) 5.0 kg (net) Bluetooth Connect it F High-Gloss white, black, red: 449 € (m) walnut: 499 €



28 Turntables / Essential Line



Ortofon OM 10 Cartridge



Vibration absorbing feet



Aluminium tonearm


Antiskating



Debut Carbon EVO

Time for Evolution. We have taken our most popular turntable design and improved every aspect of it. The result is an incredibly refined product.





1.7 kg Platter

Heavy steel and TPE damped

We added a TPE (thermoplastic elastomer) ring on the inside of the platter. The result is an even quieter and noiseless operation with less wow and flutter.



Sub-Platter

lt

Suspension

Improved motor suspension

The Debut Carbon EVO features our newly designed motor suspension. We have improved the old design to consistently reduce the vibrations better than before.



Debut Carbon EVO



Cartridge Ortofon 2M Red Elliptical stylus

Chassis and Platter Made of resonance in-sensitive MDF, TPE damped steel platter

Satin Finish High Gloss Wood

Debut Carbon (DC)

Cartridge Ortofon 2M Red Elliptical stylus

The Turntable Classic!

Chassis and Platter Made of resonance in-sensitive MDF, steel platter

High Gloss

33/45/78 RPM

Controlled playback speeds

Change replay speeds with the push of a button, the playback speed is electronically controlled with the utmost precision.



Metal Feet

9

1011

Damped & height-adjustable

The new Debut Carbon EVO stands on three height adjustable damped aluminium feet to guarantee the perfect stand.





Our most popular turntable design. Improved in every aspect.

Tonearm 8.6" carbon tonearm saphire bearings

Output Phono out Gold plated sockets

Drive Principle

Belt drive on sub-platter

Included Items Dust cover, felt mat, power supply, Connect it E **Speed** 33/45/78 RPM Electronic change

Size and Weight 415 x 95 x 330 mm (WxHxD) 5,6 kg (net)

● White, Black, Golden Yellow, Steel Blue, Fir Green: 499 €



Real-wood walnut: 499 €

Tonearm 8.6" carbon tonearm saphire bearings

Output Phono out Gold plated sockets Drive Principle Belt drive on sub-platter


Included Items Dust cover, felt mat, power supply, Connect it E **Speed** 33/45 RPM Manual change

Size and Weight 415 x 95 x 330 mm (WxHxD) 5.6 kg (net)

White, Black, Red, Yellow, Blue, Green, Purple: 399 €

Real-wood walnut: 449 €

THE CLASSIC



Classic look combined with modern technology

The Classic was born in celebration of our 25th anniversary. It sports a timeless and elegant real-wood chassis, a newly developed Carbon/Aluminium tonearm and an aluminium sub-chassis that is dampened by high-tech TPE balls. Classic in looks with a few modern technologies under the hood.



The Classic Evo





Cartridge

Colour Options

platter.



Ortofon Quintet Red



Diamond cut alu sub-platter

34

Sub-chassis turntable with 9" carbon/alu sandwich tonearm.

Tonearm

9" carbon/aluminium, adjustable Azimuth and VTA, MM & MC capability, ultra low friction Zircon pin-point cardan

E bearings (top & side), base: Japanese ball bearing, integrated central vertical cable outlet for unhindered arm movement

Output Phono Out

Drive Principle Belt drive on diamond cut precision alu subplatter

Included Items Dust cover, felt mat, power supply, Connect it E (RCA cable)

Speed

Electronic speed selector for 33/45/78 RPM

Size and Weight

462 x 131x 351 mm (WxHxD) 10.5 kg (net)

Eucalyptus or Walnut 1.299 € n/c, 1.399 € incl. Ortofon Quintet Red




Electronic speed selector



Eucalyptus Wood Veneer

RPM LINE



Less vibration through droplet-form

The RPM Line consists of our droplet-form turntables. This kind of form is known for less vibrations due to its build nature. The RPM Line also uses fully decoupled and separate motors for better sound.



RPM 1 Carbon



Cartridge Ortofon 2M Red Elliptical stylus (MM)

Chassis and Platter High-gloss painted MDF, inverted platter bearing for reduced rumble

Colour Options

RPM 3 Carbon

Cartridge Ortofon 2M Silver Elliptical stylus (MM) **Chassis and Platter**

High-gloss painted MDF, inverted platter bearing for reduced rumble

Colour Options

RPM 5 Carbon



Ortofon 2M Silver Elliptical stylus (MC) Chassis A low resonance MDF/ carbon chassis holds a

Cartridge

with ceramic ball.

Colour Options

1

Tonearm 8,6" S-shape made from carbon/alu

Output Phono Out **Drive Principle** Precision belt drive decoupled motor

Included Items Felt mat, power supply, Connect it E (RCA cable)

Speed 33/45 RPM manual change

Size and Weight 380 x 110 x 350 mm (W x H x D) 3.8 kg (net)



High-Gloss white, black, red: 499 €

Manual turntable with 10" carbon tonearm

Tonearm	Drive Principle	Speed
10″ S-shape made from carbon/alu	Precision belt drive decoupled motor	33/45 RPM manual change
_		5
Output	Included Items	Size and Weight
Output Phono Out	Included Items Felt mat, power supply,	Size and Weight 422 x 118 x 373 mm
•		•
•	Felt mat, power supply,	422 x 118 x 373 mm



High-Gloss white, black, red: 799 €

Manual turntable with 9" Evo tonearm

Platter **Drive Principle** Speed 33/45 RPM Acrylic Precision belt drive decoupled motor manual change Tonearm 9" cc EVO Carbon Size and Weight Included Items Felt mat, power supply, MM & MC capability 430 x 150 x 323mm (W x H x D) TPE damped counter-ConnectitE inverted platter bearing (RCA cable) 8.0 kg (net) weight Output Phono Out High-Gloss white, black, red: 1.299 €

RPM 9 Carbon

2	-		R
	-		
	-	-	

Cartridge	Platter	Drive Principle	Speed
Ortofon Quintet Bronze	7.2 kg aluminium	Precision belt drive	33/45 RPM
Nude fine line stylus		decoupled motor	electronic change
	Tonearm		
Chassis	9" cc EVO Carbon	Included Items	Size and Weight
MDF with hard resin	MM & MC capability	Power supply,	440 x 180 x 325 mm
coated steel pellets -	TPE damped counter-	Connect it 5P-CC (pho-	$(W \times H \times D)$
special complex heat treatment and a carbon	weight	no cable), record puck	16.5 kg (net)
surface coating. Holds	Output		
a inverted platter be- aring with ceramic ball.	Phono Out		
Colour Options		Quinetet Bronze SRP 2.295	


RPM 10 Carbon



Highend turntable with 10" Evo tonearm

Cartridge	Platter	Drive Principle	Speed
Ortofon Cadenza Red	14.4 kg aluminium	Precision belt drive	33/45 RPM
Nude fine line stylus on		decoupled motor	electronic change
alu cantilever	Tonearm		
	10" EVO Carbon	Included Items	Size and Weight
Chassis	MM & MC capability	Ground it Carbon,	Turntable:
MDF with hard resin	TPE damped counter-	record puck, power	480 x 210 x 330 mm
coated steel pellets -	weight	supply, Connect it CC	(W x H x D)
special complex heat		(Modell 5P-CC)	22.0 kg (net)
treatment and a carbon	Output		Ground it:
surface coating. Holds	Phono Out		500 x 70 x 400 mm
a inverted platter be-			(W x H x D)
aring with ceramic ball.			14,5 kg





The High-End Audiophile Experience

The X Line takes all our traditional designs to a new level. With experimental materials and mixes, we were able to get these special products to new heights. Special platters with exclusive chassis and cartridges enabled us, to deliver these world-class turntables.



Colour Options

wood walnut

Cartridge

Chassis

Ortofon Pick it S2 MM

Elliptical stylus (MM)

Massive and heavy

MDF, painted with 8

layers and hand-polis-

or veneered satin real-

Uncompromised High-End Design

Cartridge Pick it 2M Silver Elliptical stylus (MM)

Chassis Massive and heavy MDF, painted with 8 layers and handpolished finish in, high-gloss white or veneered satin damped counterweight black aluminium real-wood walnut

Colour Options

Cartridge

Pick it 2M Silver

6 PerspeX SB



Chassis Acrylic Plinth, Subchassis made from Corian with magnetic suspension.

Elliptical stylus (MM)

Colour Options

X1

X2

Real High-End Features - True Audiophile Sound - Affordable Price

Platter

1.5 kg heavy acryl Stainless steel-bearing with soft brass bushing Drive Principle

Tonearm

8,6" carbon/alu sandwich tonearm, kardan hed finish in high-gloss ultra-low friction 4 pin white, high-gloss black point precision bearing, Height adjustable, TPE damped counterweight



Drive belt on sub-platter isolated motor for less vibration and noise

Feet black aluminium Included Items Dust cover, felt mat, power supply, ConnectitE (RCA cable)

Speed 33/45/78 RPM electronic switch

Size and Weight 415 x 125 x 335 mm (W x H x D), 5,9 kg (net)

699 € without cartridge | 799 € with Pick it S2 MM

Platter

2 kg heavy acryl platter Stainless steel-bearing with soft brass bushing Drive Principle

Tonearm

9" carbon/alu sandwich tonearm, kardan ultralow friction 4 pin point black, satin black, satin precision bearing, TPE

Output Phono Out

Drive belt on sub-platter isolated motor for less vibration and noise

Feet

Height adjustable,

Included Items Dust cover, felt mat, power supply, Connect it E (RCA cable)

Speed 33/45/78 RPM electronic switch

Size and Weight 460 x 150 x 340 mm (W x H x D), 9 kg (net)



999€ without cartridge | 1.099€ with Pick it 2M Silver

Incredible and Unparalleled Value

Platter

Acoustically inert sandwich construction of platter with combination of MDF and vinyl layer as mat,

Tonearm

tonearm 9 cc Evolution, Feet bearings with ABEC 7 ballraces

Output Phono Out

Drive Principle Belt drive with AC motor with DC driven AC generator

Height adjustable, black aluminium

Included Items Dust cover, record clamp, power supply, spirit level, Connect it E (RCA cable)

Speed 33/45 RPM electronic switch

Size and Weight 460 x 183 x 365 mm (W x H x D), 9,3 kg (net)

1.699€ without cartridge, 1.999€ with Quintet Blue

Xtension 9 Evolution



Cartridge Quintet Black	Platter Precision balanced
Nude fine line stylus	sandwich-platter
Chassis MDF filled with metal	Tonearm 9" cc EVO Carbon

Highend turntable with 9" Evo tonearm

granulate with low le-MM & MC capability vels of resonance and Damped counterweight high massaring with Output ceramic ball. Phono Out

electronic change decoupled motor Included Items Heavy weight record clamp, dust cover, power supply, spirit level, gloves, Connect it

Drive Principle

Precision belt drive

CC (Modell 5P-CC)

Drive Principle

Precision belt drive

Heavy weight record

clamp, dust cover,

power supply, spirit

CC (Modell 5P-CC)

level, gloves, Connect it

decoupled motor

Included Items

Size and Weight 465 x 185 x 350 mm $(W \times H \times D)$ 18 kg (net)

33/45/78 RPM

Speed



High Gloss White, Black or Red: 2.295 € n/c | SuperPack incl. Quintet Black: 2.595€

Olive, Mahagoni, Walnut, Palisander, Eucalyptus: 2.295€ n/c | SuperPack incl. Quintet Black: 2.595€

High Gloss Walnut Burl, Satin Walnut Burl: 2.695 € n/c | SuperPack incl. Quintet Black: 2.995 €

Xtension 10 Evolution

Highend turntable with 10" Evo tonearm

Highend turntable with 10" Evo tonearm

Chassis

Cartridge Platter Ortofon Cadenza Red 10,3 kg aluminium Nude fine line stylus on alu cantilever Tonearm 10" EVO Carbon MM & MC capability MDF with hard resin TPE damped countercoated steel pellets weight special complex heat treatment and a carbon **Output** surface coating. Holds Phono Out a inverted platter bearing with ceramic ball.

Speed . 33/45/78 RPM electronic change

Size and Weight 480 x 235 x 400 mm $(W \times H \times D)$ 26 kg (net)

Colour Options

High Gloss White, Black or Red: 3.500 € n/c | 4.900 € SuperPack incl. Quintet Black

Olive, Mahagoni, Walnut, Palisander, Eucalyptus: 3.500 € n/c | SuperPack incl. Quintet Black: 4.900 €

High Gloss Walnut Burl, Satin Walnut Burl: 4.000 € n/c | SuperPack incl. Quintet Black: 5.400 €

Xtension 12 Evolution



Cartridge	Platter	Drive Principle	Speed
Ortofon Cadenza Red	14.4 kg aluminium	Precision belt drive	33/45/78 RPM
Nude fine line stylus on		decoupled motor	electronic change
alu cantilever	Tonearm		
	10" EVO Carbon	Included Items	Size and Weight
Chassis	MM & MC capability	Heavy weight record	550 x 550 x 560 mm
MDF with hard resin	TPE damped counter-	clamp, dust cover,	(W x H x D)
coated steel pellets -	weight	power supply, spirit	33 kg (net)
special complex heat		level, gloves, Connect it	
treatment and a carbon	Output	CC (Modell 5P-CC)	
surface coating. Holds	Phono Out		
a inverted platter be-			
aring with ceramic ball.			
Colour Options		• • • •	
High Gloss White, Black,	Red, Olive, Mahagoni, Wa	alnut, Palisander, Eucalypt	us: 3.990 € n/c
High Gloss Walnut Burl	Satin Walnut Burl: 4.590 €	En/c	
ingit of ooo trainfact barry o	roloss wallut bull, Satin wallut bull. 4.330 e life		

Our Signature and Xtension turntables are now available in exclusive Walnut Burl finishes. They are produced in small numbers and on special request, so the availability will be limited.








Chassis

MDF with hard resin coated steel pellets - special complex heat treatment and a carbon surface coating.

SIGNATURE LINE



Pure luxury in every piece

The Signature line is the ultimate audiophile offering from us. A flagship in every sense, it is a must-consider product for any serious audiophile with a high budget.

Signature 10

Cartridge not included (n/c)

Chassis



Piano-lacquer chassis with magnetic decou-Tonearm pling or veneered with Single-pivot tonearm walnut burl satin or in high gloss metal high-gloss. surface



Signature 12

Cartridge not included (n/c)



Chassis Piano-lacquer chassis with magnetic decoupling or veneered with walnut burl satin or high-gloss.

Colour Options



Highend turntable with single-pivot tonearm.

Platter

10.1 kg heavy acryl Stainless steel-bearing with soft brass bushing Drive Principle

Output Phono Out

Motor control system for perfect speed stability

Feet Height adjustable, black aluminium

Included Items

Connect it CC (Modell 5P-CC) Record puck, gloves, spirit level...

Speed 33/45 RPM electronic switch

Size and Weight 475 x 195 x 354 mm $(W \times H \times D)$ 22,6 kg (net)

Piano Black, Olive, Mahagoni: 4.990 € n/c High Gloss Walnut Burl, Satin Walnut Burl: 5.490 €

An audiophile marvel, that represents our championship in precision engineering.

Platter

10.2 kg heavy acryl Stainless steel-bearing with soft brass bushing

Tonearm

Single-pivot tonearm in high gloss metal surface

Output Phono Out

Drive Principle Motor control system for perfect speed stability

Feet Height adjustable, black aluminium

Included Items Connect it CC (Modell 5P-CC) Record puck, gloves, spirit level...


Speed 33/45 RPM electronic switch

Size and Weight 570 x 440 x 234 mm (W x H x D) 34,6 kg (net)



Piano Black, Olive, Mahagoni: 9.500 € n/c High Gloss Walnut Burl, Satin Walnut Burl: 10.100 € n/c

SPECIAL EDITIONS



Special Editions

We take the best of the existing models and add special features, for an even more impressive performance.

3



Debut RecordMaster

Cartridge Ortofon OM 5E Elliptical stylus Chassis and Platter Made of resonance in-sensitive MDF, Steel platter

Colour Options

The Classic



Elliptical stylus **Chassis and Platter** Metal/MDF sandwich chassis floating on TPE suspension. Precision balanced TPE-damped aluplatter.

Cartridge Ortofon 2M Blue

Colour Options

Audiophile turntable for Hifi & audio transfer to PC/Mac

Tonearm 8.6" alu tonearm saphire bearings	Drive Principle Drive belt on sub-platter	Speed 33/45/78 RPM Electronic change	
Output Built in MM phono preamplifier with line output and USB out for audio recording	Included Items Dust cover, felt mat, power supply, Connect it E	Size and Weight 415 x 118 x 320 mm (W x H x D) 5,6 kg (net)	
High-Gloss white,	black: 449 € 🔵 Sati	in walnut: 499 €	

Sub-chassis turntable with 9" carbon/alu sandwich tonearm. Now in Satin White or Satin Black.

Tonearm 9" carbon/aluminium tonearm with MM & MC capability	Drive Principle Belt drive on diamond cut precision alu sub- platter	Speed 33/45 RPM Manual change
Japanese ball bearing		Size and Weight
(base of tonearm)	Included Items	462 x 131 x 351 mm
	Dust cover, felt mat,	(W×H×D)
Output	power supply,	10,2 kg (net)
Phono out	ConnectitE	
	9" carbon/aluminium tonearm with MM & MC capability Japanese ball bearing (base of tonearm) Output	9" carbon/aluminium tonearm with MM & MC capability Japanese ball bearing (base of tonearm) Included Items Dust cover, felt mat, power supply,



Satin white or Satin black: 999 €

ARTIST COLLECTION

The Beatles Yellow Submarine



- Weight: 4.5 kg net

449€

Artist Collection

The Artist Collection is a series of turntables that was created in collaboration with various respected national and international artists. Audiovisually convincing products were created, which amaze fans worldwide. Some of these art pieces are only available in limited editions and may therefore be out of stock in some cases.



• Special edition of Essential III • Acrylic platter • Belt drive with synchronous motor and silicone belt • Diamond cut aluminium drive pulley • Chassis made of resonance in-sensitive MDF • Integrated DC-powered motor control minimizes motor vibration and guarantees speed stability • Low tolerance platter bearing with stainless steel spindle • 8.6" aluminium tonearm with saphire bearings • Ortofon OM10 cartridge pre-mounted • High-quality semi-balanced Connect it E phono interconnect with gold-plated RCA connectors included • Special decoupling feet • Dust cover included • Dimensions: 420x112x330mm (WxHxD) • Weight: 5.0 kg net

499€

The Beatles 1964 Record Player

Essential III Sgt. Pepper's Drum



• Special edition of Debut Carbon Esprit SB • Limited to 2500 pieces worldwide • 33/45 & 78rpm out of the box • Built-in precision Speed Box with switch on upper side • 8.6" carbon tonearm • Heavy non resonant acrylic platter • DC power supply with synchronous AC motor • TPE motor suspension • Magnetic cartridge 2M red from Ortofon • High-quality semi-balanced Connect it E phono interconnect with gold-plated RCA connectors included • Special decoupling feet • Dust cover included • Dimensions (lid closed): 415x118x320mm (WxHxD) • Weight: 4.9 kg net

650€

2Xperience Sgt. Pepper



• Special version of 2Xperience SB • Limited run of only 1000 pieces worldwide • Electronic speed control with 33/45 rpm speed change, which acts as "Speed Box" with ultimate speed stability • Precision balanced sandwich-platter with vinyl mat • Record clamp tightens record to platter • MDF chassis • Audiophile grade 9" EVO carbon tonearm • Inverted tonearm bearings (ABEC 7 quality) • 2M Silver cartridge with silver voice coils is pre-mounted • Dimensions: 460x133x360 mm (WxHxD) • Weight: 8 kg net

1.399€

• Unique special Yellow Submarine look • Belt-drive with synchronous motor • Ortofon Concorde quality pickup • Vibration absorbing feet • Glass platter • Rigide MDF chassis • Highly precise and light aluminium tonearm • Saphiretonearm bearing • Gold-plated contacts • Silicon belt with optimum dampening • Dimensions: 500x120x400 mm (WxHxD)

2Xperience The Beatles White Album



 Special version of 2Xperience SB • Limited run of only 500 pieces worldwide • Belt drive with synchronous motor and silicone belt • Electronic speed control with 33/45 rpm speed change, which acts as "Speed Box" with ultimate speed stability • Heavy acrylic platter • Diamond-cut drive pulley • Included record clamp tightens record to platter • Resonance optimised MDF chassis in white mat • Audiophile 9"Evo aluminium tonearm • Inverterted tonearm bearings (ABEC 7 quality) • 2M White cartridge pre-mounted • Dust cover included • Dimension 460 x 133 x 360 mm (WxHxD) • Weight: 8 kg net

1.499€

George Harrison Recordplayer



• Special edition of Essential III • Limited to 2500 pieces worldwide • Acrylic platter • Artwork by respected streetartist Shepard Fairey • Belt drive with synchronous motor and silicone belt • Diamond cut aluminium drive pulley • Chassis made of resonance in-sensitive MDF • Integrated DC-powered motor control minimizes motor vibration and guarantees speed stability • Low tolerance platter bearing with stainless steel spindle • 8.6" aluminium tonearm with saphire bearings Ortofon OM10 cartridge pre-mounted • High-quality semi-balanced Connect it E phono interconnect with gold-plated RCA connectors included • Special decoupling feet • Dust cover included • Dimensions: 420x112x330mm (WxHxD) • Weight: 5.0 kg net 499€

Ringo Starr Peace & Love Turntable



 Special edition of Essential III • Artwork designed by Ringo Starr himself • Acrylic platter • Belt drive with synchronous motor and silicone belt • Diamond cut aluminium drive pulley • Chassis made of resonance in-sensitive MDF • Integrated DC-powered motor control minimizes motor vibration and guarantees speed stability • Low tolerance platter bearing with stainless steel spindle • 8.6" aluminium tonearm with saphire bearings • Ortofon OM10 cartridge pre-mounted • High-quality semi-balanced Connect it E phono interconnect with gold-plated RCA connectors included • Special decoupling feet • Dust cover included • Dimensions: 420x112x330mm (WxHxD) • Weight: 5.0 kg net

499€

Rolling Stones Recordplayer



• Unmistakable artwork • Belt drive with synchronous motor and silicone belt Chassis made of resonance in-sensitive MDF • Integrated DC-powered motor control minimizes motor vibration and guarantees speed stability • Low tolerance platter bearing with stainless steel spindle • 8.6" aluminium tonearm • Ortofon OM10 cartridge pre-mounted • High-quality semi-balanced Connect it E phono interconnect With gold-plated RCA connectors included • Special decoupling feet • Dust cover included • Dimensions: 415x118x320 mm (WxHxD) lid closed • Weight 5.5 kg net

375€

Essential III Demon by Parov Stelar



• Limited edition "The Demon Diaries" design • Belt drive with silicone belt • Low vibration synchronous motor • Integrated motor control with DC power supply ensures silent running • Main platter bearing made from stainless steel runs in bronze bushing with Teflon bottom • 8.6" aluminium tonearm with saphire bearings • Ortofon OM5e cartridge, pre-mounted • Pre-mounted gold-plated RCA interconnect cable • Special turntable feet for effective decoupling • Dustcover included • Dimensions: 420x112x330 mm (WxHxD) • Weight: 4.0 kg net

359€

PS01 - Wave by Parov Stelar



 "Must have" for fans of Parov Stelar and vinvl • Exclusive design with 7 printing layers • 8.6" carbon tonearm • Heavy non resonant acrylic platter • DC power supply with synchronous AC motor • TPE motor suspension • Magnetic cartridge 2M Red from Ortofon • Hightech damping feet made from TPE for up to 20% higher listening levels without distortion • Dust cover included • Dimensions (lid closed): 415x118x320 mm (WxHxD) • Weight: 4.9 kg net

550€

PS00 - Frida by Parov Stelar



550€

Hard Rock Café Turntable



• Unique Hard Rock label artwork • Instant playback with super-easy setup • Pre-adjusted tracking force & anti-skating force • Ortofon OM5e cartridge, pre-mounted • 8,6" aluminium tonearm with saphire bearings • Belt drive with silicone belt • Low vibration synchronous motor & DC power supply • Pre-mounted gold-plated RCA interconnect cable • Special turntable feet for effective decoupling • Acrylic lid included • Dimensions: 420x112x330 mm (WxHxD) • Weight: 4.0 kg net

349€

• "Must have" for fans of Parov Stelar and vinyl • Exclusive design with 7 printing layers • 8.6" carbon tonearm • Heavy non resonant acrylic platter • DC power supply with synchronous AC motor • TPE motor suspension • Magnetic cartridge 2M Red from Ortofon • Hightech damping feet made from TPE for up to 20% higher listening levels without distortion • Dust cover included • Dimensions (lid closed): 415x118x320 mm (WxHxD) • Weight: 4.9 kg net

Hans Theessink Recordplayer



• Special edition of Essential III • Acrylic platter • Belt drive with synchronous motor and silicone belt • Diamond cut aluminium drive pulley • Chassis made of resonance insensitive MDF • Integrated DC-powered motor control minimizes motor vibration and guarantees speed stability • Low tolerance platter bearing with stainless steel spindle • 8.6" aluminium tonearm with saphire bearings • Ortofon OM10 cartridge pre-mounted • High-quality semi-balanced Connect it E phono interconnect with gold-plated RCA connectors included • Special decoupling feet

• Dust cover included • Dimensions: 420x112x330mm (WxHxD) • Weight: 5.0 kg net

450€

Primary DelaDap Wave



• Belt-drive with synchronous motor • Special artwork by DelaDap • Ortofon OM5e pickup • Vibration absorbing feet • CNC'd special composit fibre chassis • Highly precise and light aluminium tonearm • Saphire-tonearm bearing • Gold-plated contacts Stainless steel bronze bushing • Elegant dustcover with adjustable hinges Silicon belt with optimum dampening • Dimensions: 420x112x330 mm (WxHxD) • Weight: 4.0 kg net





E - LINE

Bluetooth Box E



DAC Box E



Optical Box E Phono



Phono Box E





Wireless music streaming with almost CD-quality Bluetooth 2.1 + EDR • Supports aptX & SBC codec • Easy to install and use • Fast auto pairing (3 to 5 seconds) • Up to 8 different Bluetooth sources are memorized • Works within a range of approximately 10 meters • RCA analogue and Toslink digital outputs (switchable) • Outboard power supply included • Dimension: 120x32x100/106 mm (WxHxD/D with sockets) • Weight: 250 g without power supply • Colour options: black or white



• 24bit / 192kHz D/A conversion • Co-axial (RCA) & optical (Toslink) S/PDIF input SMD circuitry • Special low noise components • Internal metal shielding • Small size allows installation close to source • Gold plated RCA connection sockets • Outboard power supply included • Dimensions: 120x32x100/106 mm (WxHxD/D with sockets) • Weight: 250 g without power supply • Colour options: black or white



PHONO

• Especially for use with devices with no analogue input such as home cinema receivers, soundbars etc • Analogue RCA and digital optic output work simultaneously • Works as input extender (2>1) or output splitter (1>2) • 2 Inputs: 1 Phono and 1 Line In • Suitable for MM cartridges • Precise RIAA equalisation Low noise circuitry • Internal metal shielding • Gold-plated RCA inputs • Outboard power supply included • Dimensions: 120x32x100/106 mm (WxHxD/D with sockets) • Weight 250 g without power supply • Colour options: black or white




• Amplification and RIAA equalisation for MM cartridges • Design principle inspired by Dr. Sykora • SMD circuitry • Special low noise components • Internal metal shielding • Small size allows installation close to record player • Gold plated RCA connection sockets • Outboard power supply included • Dimension: 120x32x100/106 mm (WxHxD/D with sockets) • Weight: 269 g without power supply • Colour options: black or white



Phono Box E BT

Record Box E

Control it







• Manage all components with a single remote • Pre-programmed - no setup necessary • Simple and easy to use • Widespread IR emission up to 135° • Rugged design • Dimension : 47x30x210 mm (WxHxD)



DAC Box E Mobile



• Portable D/A converter • High resolution support up to 32bit/192kHz • USB-C input • Extreme compact form factor • No batteries needed • Solid metal casing Dimension: 28 x 14 x 69.2 mm (WxHxD) • Colour options: silver or black





• Wireless Bluetooth streaming from phono or line sources • 2 Inputs: 1 Phono and 1 Line Input • Suitable for MM cartridges • Precise RIAA equalisation • Use analogue RCA & bluetooth output simultaneously • Low noise circuitry • Internal metal shielding • Gold-plated RCA connectors • Outboard power supply included • Dimensions: 120x32x100/106 mm (WxHxD/D with sockets) • Weight: 280 g without power supply • Colour options: black or white

119€

• Amplification and RIAA equalisation for MM & MC • Design principle inspired by Dr. Sykora • Digitalisation of vinyl for recording direct to USB with suitable recording programs • Automatic recognition, no additional drivers needed • Runs on Windows®, Mac OS® & Linux operating systems • SMD circuitry with special low noise components • Internal metal shielding • Small size allows installation close to record player • Gold plated RCA connection sockets • Outboard power supply included • Dimensions: 120x32x100/115 mm (WxHxD/D with sockets) • Weight: 250g without power supply • Colour options: black or white

99€

REMOTE CONTROL

MOBILE



Phono Box MM



Phono Box



• Preamplifier for MM or MC with switch on rear panel • Best buy classic • DC power supply (< 1 watt standby power) • Precise RIAA equalisation • Low noise ICs • Output stage with ultra-low impedance • Gold-plated RCA sockets • Small size for installation near recordplayer • Dimensions: 103x36x104 /115 mm with sockets (WxHxD) • Weight: 570 g • Faceplate in silver or black

• Metal case shields the electronics from vibrational and electromagnetic inter-

dual-mono circuitry • Gold plated RCA connection sockets • DC power supply

ference • Special low-noise ICs used • Optimal channel separation through

(< 1 watt standby power) • Amplification and RIAA equalisation for MM car-

tridges • Small size allows installation close to record player • Dimensions:

107x30x75 mm (WxHxD) • Weight: 280g without power supply



79€

Phono Box USB



Phono Box USB V



• Preamplifier for MM or MC with switch on rear panel • Precise RIAA equalisation • High quality A/D conversion with USB out to PC/Mac • Compatible with Windows®, MacOS® & Linux • SMD technology for shortest signal paths Output stage with ultra-low impedance • Gold-plated RCA sockets • DC power supply (< 1 watt standby power) • Dimensions: 103x36x104/115 mm with sockets (WxHxD) • Weight: 570 g • Faceplate in silver or black



• Preamplifier for MM or MC with switch on rear panel • Precise RIAA equalisation • Phono/line selector on front • Record level adjustment • High quality A/D conversion with USB out to PC/Mac • Compatible with Windows®, MacOS® & Linux • SMD technology for shortest signal paths • Output stage with ultra-low impedance • DC power supply (< 1 watt standby power) • Dimensions: 103x36x104/115 mm with sockets (WxHxD) • Weight: 580 g • Faceplate in silver or black



PHONO



DAC Box TV

• Digital to analogue converter • Audio-upgrade for TV, Sat, Computer • 24bit/192kHz Cirrus Logic DAC chip • Supports 24bit audio data • Up to 192kHz sampling rates • Automatic signal sensing technology • Low clock jitter sensitivity • RCA connectors gold plated (in & out) • Metal casing protects against vibration and interference • Dimensions W x H x D: 107 x 30 x 64 (75) mm (incl. sockets) • Weight: 290g without power supply

99€

SOURCES







Head Box S2

Amp Box S2



• Suitable for demanding headphones • 6.35mm and 3.5mm headphone output • Bypass RCA loop output for additional amplifier • Superior low distortion • Low noise components for ultimate sound performance • Small footprint • Both outputs usable simultaneously • Aluminium/metal sandwich casing protects against vibrations and electromagnetic interference • Weight: 365g without power supply • Colour options: silver or black





without power supply



Pre Box S2 Analogue







|:□:○

What is Box Design S2?

breathtaking sound performance.

We designed a revolutionary range of high-end

electronic micro components, engineered and

manufactured according to the same principles

as our acclaimed turntables. The idea is to make

the devices as small as possible, but still have a

Casing dimensions without switches & in/output connectors (W x H x D): 103 x 105 x 37mm Exceptions are MaiA S2, CD Box S2 and Tube Box S2. Please refer to product description for dimensions.

60

• Ultra compact amplifier module • More power and further improved performance • Stereo input (RCA) • Isolated speaker sockets (Suitable for banana/spade/pin/bare wire) • Trigger input • Trigger output for further Amp Box S2 • Metal casing protects against vibration and interference • On/Off front-sided • Weight: 385 g without power supply • Colour options: silver or black

229€

129€

• Stereo integrated amplifier with 9 input options • 2x38 watts @ 4 ohms • Dual mono design principle • Inputs: 3x stereo line, 1x phono (RCA), 1x bluetooth (aptX), 2x digital optical, 1x digitial coax, 1x USB • XMOS asynchronous USB • DAC: Cirrus Logic CS4344 24bit/192kHz Multi-bit Delta Sigma • 4th generation Bluetooth with aptX capability & antenna • Phono MM + high output MC input • Volume control with motor driven potentiometer • Headphone output • Variable output for subwoofer or second zone amp • IR remote included • Improved all-aluminium case and board layout improve electromagnetical interference Dimensions W x H x D: 206 x 38 x 165 (176mm with sockets) • Weight: 925g

499€

• Advanced circuitry with premium components • Neutral sound with superior low noise floor • 3 Stereo Line inputs • 1 fixed line output • 1 pre output • Motorised volume control • SMD for short signal paths • Low output impedance for low loss with long cables • Gold-plated connections • Remote control for on/off, input select, volume • Trigger outputs for Amp Box S2 • Alu/Metal casing protects against vibration and interference • Weight: 405 g without power supply • Colour options: silver or black

Stereo Box S2



Stereo Box S2 BT



AD Box S2 Phono



Phono Box S2



AMPLIFIER

 High End integrated amplifier with 3 line inputs
 2x 37 watts @ 4 ohms · Gold plated RCA connectors · Isolated speaker outputs · IR remote control for volume, input, power included • 3.5mm variable output on back • Full aluminium/ metal casework • Weight: 660g without power supply • Colour options: silver or black

• High End integrated amplifier • 2 line inputs • High quality Bluetooth receiver • 2

x 37 watts @ 4 ohms • Gold plated RCA connectors • Isolated speaker outputs •

IR remote control for volume, input, power included• Full aluminium/metal case-

work • Weight: 660 g without power supply • Colour options: silver or black



299€



Phono Box S2 Ultra

black



Tube Box S2



Bluetooth Box S2



• Wireless music streaming with almost CD-quality • Bluetooth 3.0 • Supports aptX & SBC codecs • Easy to install and use • Fast auto pairing (3 to 5 seconds) • Up to 8 different Bluetooth sources are memorized • Works within a range of approximately 10 meters • RCA stereo analogue and optical Toslink output • Outboard power supply included • Antenna included • Dimensions (with sockets): 116x37x108 mm (WxHxD) • Weight: 320 g • Colour options: silver or black



CD Box S2



• Smallest Hifi CD player on the market • Mini-PC controlled drive • 32bit/384kHz DAC for precise playback of Audio-CDs • 2 different digital filters selectable (FIR and IIR) • Optical TOSlink S/PDIF Digital output • Slot-in mechanism • Remote control with volume level adjustment of Pro-Ject amplifiers • New all-aluminum case in beautiful S2 design protects against vibration and interference • Dimensions W x H x D: 205 x 37 x 155 (165mm with sockets) • Weight: 950g without power supply • Colour options: silver or black





62 Hifi Electronics / S2-Line / Amplifier & Phono PHONO

• MM & MC capable • Linear RIAA equalisation • Phono stage technology by Dr. Sykora • Line level input switchable • Recording level control • USB recording output to computer (Win & Mac) • Ultra low noise & low distortion levels SMD circuitry • Metal casing protects against vibration and interference • Weight: 330 g without power supply • Colour options: silver or black

• Audiophile performance • Dual mono configuration • Audiophile-grade

• Precise RIAA equalisation • Switchable Subsonic filter –12dB @ 20Hz

• Switchable input impedance/capacitance • 4 adjustable gain levels

amplification modules • Audiophile-grade polypropylene WIMA capacitors

• Outstanding sound quality • Weight: 570 g net • Colour options: silver or black



159€

• Audiophile performance • No Operational Amplifiers used • Audiophile-grade polystyrene capacitors • Precise RIAA equalisation • Switchable Subsonic filter -18 dB @ 20Hz • Switchable input impedance/capacitance • 4 adjustable gain levels • Outstanding sound quality • Weight: 570 g net • Colour options: silver or

250€

• Suitable for MM and MC cartridges • Precise RIAA equalisation in two parts, passive/active • Fully discrete circuit design without OpAmps • 2x ECC83 tubes (replaceable) • Front-sided Subsonic filter button • Front-sided Gain control • Ultra low noise circuitry with FET input stage • Dual mono circuitry for optimized channel separation • Polystyrene capacitors used where possible · Gold-plated RCA in-and outputs · External power adaptor and multiple internal power supplies • Well-filtrated high-voltage anode power supply • Dimensions (with sockets & Tubes): 103x73x131 mm (WxHxD) • Weight: 410 g without power supply • Colour options: silver or black

359€

SOURCES

159€

DAC Box S2 +



Head Box S2 Digital



Pre Box S2 Digital



Stream Box S2 Ultra



SOURCES

 Organic polymer capacitors and thin film miniMELF resistors • 32bit / 768kHz PCM support • DSD64, DSD128 & DSD256(DSD over PCM) • Up to 24bit/192kHz for optical & coax inputs • 5 selectable digital filter characteristics • 1 proprietary Jitter as low as 100 Femtoseconds • Gold plated four layer PCB • Weight: 355g without power supply • Full alu/metal sandwich casing • Colour options: silver or

• Compact multiroom streamer • 24/192 streaming client • Spotify Connect, TIDAL • TuneIn, iHeartRadio internet radios • UPnP, DLNA support • Multi-room • Stereo pairing • ESS9023 DAC • WAV, ALAC, FLAC, MP3, APE, AAC • Line Input • Fixed, variable analogue & optical ouptuts • Shairport • WiFi 802.11 b/g/n • Free control App "Pro-Ject Stream S2) (iOS/Android) • Full aluminium/metal casework • Weight 375 g (without power supply) • Colour options: silver or black



Tuner Box S2

Stream Box S2



• Micro-sized FM-Tuner • 99 presets • Manual or automatic tuning • Adaptive noise reduction • High-contrast dot-matrix display • Display of frequency, preset number, centre of station, Stereo or Mono reception, signal strength • Trigger switching (on/off) • Full function IR remote control • Tuning range FM-band: 87,5 - 108MHz (50kHz steps) • Full aluminium/metal casework • Weight 315 g (without power supply) • Colour options: silver or black





options: silver or black



Accu Box S2 USB



options: silver or black

















power supply) • Full alu/metal sandwich casing• Colour options: silver or black

 High resolution network bridge • Audio optimized USB A output • Multi-room enabled • Dual USB A input for external storage • TIDAL supported • Spotify Connect • Network-enables any modern DAC with USB input • Internet radio • DLNA enabled • Bypasses all audio formats to the DAC • Cleans up the audio signal from a PC • Roon ready • Shairport • Bluetooth (for control) • Uses dedicated power supplies • HDMI video output • Controllable via smart devices and PC/Laptop • New control app • Ethernet and WiFi connectivity • Weight: 375 g (without power supply) • Colour options: silver or black

• High end ESS Sabre ESS9038 DAC • Proprietary clock circuity design

optimum transient digital filter • Synchronization of all internal oscillators

High end ESS Sabre ESS9038 DAC • Proprietary clock circuity design • Organic

polymer capacitors and thin film miniMELF resistors • 32bit / 768kHz decoding

• DSD64, DSD128 & DSD256 (DSD over PCM) • Up to 24bit/192kHz for optical

& coax inputs • 5 selectable digital filter characteristics • 1 proprietary optimum

transient digital filter • Headphone output on the front (6.3mm) • Synchronization

layer PCB • Weight: 360 g without power supply • Full alu/metal sandwich casing

of all internal oscillators • Jitter as low as 100 Femtoseconds • Gold plated four

• Dual mono construction • High end ESS Sabre ESS9038 dual DAC • Proprie-

tary clock circuity design • Organic polymer capacitors and thin film miniMELF

DSD512 native) • Up to 24bit/192kHz for optical & coax inputs • Headphone

resistors • MQA hardware decoding • DSD64, DSD128, DSD256 & DSD512 (DoP,

output on the front (6.3mm) • Synchronization of all internal oscillators • Jitter as

low as 100 Femtoseconds • Gold plated four layer PCB • Weight: 366 g (without



black

249€

• Colour options: silver or black

299€

375€

Hifi Electronics / S2-Line / Sources 64

299€

159€

POWER

 Superlative audiophile power transmission • Accu driven power supply • No disturbing interferences through mains • Perfect for all phono electronics • 1 x 18V output • 1 x 5V USB A output • LED indication for charging and mains • Full aluminium/metal casework • Weight: 545 g, without power supply • Colour

249€

• Superlative audiophile power transmission • Accu driven power supply • No disturbing interferences through mains • Perfect for all S2 DACs • 1 x 5V USB A output • 2600 mAh capacity • LED indication for charging and mains • Full aluminium/metal casework • Weight: 420 g, without power supply • Colour

Power Box S2



Remote Box S2



Control it Pre Box S2 Digital



• Controls Pre Box S2 Digital • Pre-programmed remote control • Also controls playback-software • Batteries included



POWER

Superlative audiophile power transmission • Non switching power supply • No disturbing interferences through mains • 1 x 20V output, e.g. for Amp Box S2
1 x 15V output perfect for turntables • 1 x 5V USB A output • Low noise components • Full aluminium/metal casework • Weight: 360 g, without power supply
Colour options: silver or black



 \bigcap

REMOTES

Controls all Box Design components • App control for enhanced comfort
Bluetooth range up to 10m (antenna included) • Remote function for a wide array of IR receivers • Free Box Control App available for Android and iOS
On/Off front-sided • Colour options: silver or black





DAC & Streaming Set S2



Accu Box S2



MaiA S2 Chrome



CD Box S2 Chrome



CHROME EDITION

High end ESS Sabre ESS9038 DAC • Proprietary clock circuity design
Organic polymer capacitors and thin film miniMELF resistors • 32bit / 768kHz
PCM support • DSD64, DSD128 & DSD256(DSD over PCM) • Up to 24bit/192kHz
for optical & coax inputs • 5 selectable digital filter characteristics • 1 proprietary
optimum transient digital filter • Synchronization of all internal oscillators
• Jitter as low as 100 Femtoseconds • Gold plated four layer PCB • Weight: 355g
without power supply • Full alu/metal sandwich casing • Colour options: silver or black

1.499€

• Superlative audiophile power transmission • Accu driven power supply • No disturbing interferences through mains • Perfect for all phono electronics and turntables • 1 x 18V output • 1 x 5V USB A output • LED indication for charging and mains • Full aluminium/metal casework • Weight: 545 g, without power supply • Colour options: silver or black

399€

Stereo integrated amplifier with 9 input options • 2x38 watts @ 4 ohms • Dual mono design principle • Inputs: 3x stereo line, 1x phono (RCA), 1x bluetooth (aptX), 2x digital optical, 1x digitial coax, 1x USB • XMOS asynchronous USB
DAC: Cirrus Logic CS4344 24bit/192kHz Multi-bit Delta Sigma • 4th generation Bluetooth with aptX capability & antenna • Phono MM + high output MC input
Volume control with motor driven potentiometer • Headphone output • Variable output for subwoofer or second zone amp • IR remote included • Improved all-aluminium case and board layout improve electromagnetical interference Dimensions W x H x D: 206 x 38 x 165 (176mm with sockets) • Weight: 925g without power supply


999€

• Smallest Hifi CD player on the market • Mini-PC controlled drive • 32bit/384kHz DAC for precise playback of Audio-CDs • 2 different digital filters selectable (FIR and IIR) • Optical TOSlink S/PDIF Digital output • Slot-in mechanism • Remote control with volume level adjustment of Pro-Ject amplifiers • New all-aluminum case in beautiful S2 design protects against vibration and interference • Dimensions W x H x D: 205 x 37 x 155 (165mm with sockets) • Weight: 950g without power supply










Amp Box DS2 Mono



What is Box Design DS2?

The success of our early analogue products has lead us to develop hi-fi electronics engineered and manufactured according to the same principles as our acclaimed turntables. The result of this approach is our Box Design product line. Our DS2 series is a full range of hi-fi stereo electronic components designed for everyone who wants to experience hi-fi stereo in superior quality.



• Audiophile PWM circuit (Pulse Wave Modulation) • Very low distortion at very impressive bandwith • High efficiency from mains to audio power • Multi layered PCB for short signal paths • Line level input (RCA) • Loop output (RCA) • Isolated speaker outputs • Trigger input & loop out • Elegant aluminium - metal sandwich casing • 1x205/120 watts $4/8 \Omega$ • Weight: 1450 g (Alu) without power supply; 1900 g (Wood) without power supply • Available in silver or black with optional satin wooden side panels in Eucalyptus or Walnut

Head Box DS2 B







in Eucalyptus or Walnut



• Powerful 135 watts per channel (2 ohms drive capability) • Dual mono design principle • Built-in phono pre-amplifier with MM & MC capability • Other inputs: 3x analogue, 5x digital including USB 2.0 • XMOS asynchronous USB 24bit/192kHz • DSD capability • dual 24bit/192kHz D/A converter PCM1796 • 4th generation Bluetooth with aptX capability & antenna • Headphone output with dedicated amplifier stage • Fixed & variable outputs for subwoofer or second zone amp • IR remote & Built-in App Remote Control via Bluetooth • Free Box Control App • Weight: 1730 g (Alu) without power supply; 2130 g (Wood) without power supply • Available in silver or black with optional satin wooden side panels in Eucalyptus or Walnut



Wooden side panels increase MSRP by 50 €. Casing dimensions without wooden side panels (W x H x D): 206 x 194 x 71 mm Casing dimensions with wooden side panels (W x H x D): 240 x 194 x 72 mm The specifications describe the basic casing dimensions without switches & in/output connectors. Except the Tube Box DS2. Please refer to product description for dimensions.

• Superior Class D modules • Impressive signal spectrum and lower distortion • High efficiency from mains to audio power • Low heat emission • Stereo level input (RCA) • Loop output (RCA) • Isolated speaker outputs • Trigger input & loop out • Elegant aluminium - metal sandwich casing • 2x140/100 watts $4/8 \Omega$ Weight: 1670 g (Alu) without power supply; 2130 g (Wood) without power supply Available in silver or black with optional satin wooden side panels in Eucalyptus





• Enough power to drive demanding headphones • Dual mono design principle • Four gain settings to match any headphone • Three current settings to deliver best sonics • Single ended (6.3 mm) and balanced (4 Pin XLR) headphone output Both outputs usable simultaneously • Phase inverter built in at input stage to convert unbalanced signal to a balanced one for superior sound • Powerstage realized by two TPA6120A2 chips • BLUE ALPS potentiometer for best volume control • Weight: 1461 g (Alu) without power supply; 1940 g (Wood) without power supply • Available in silver or black with optional satin wooden side panels





Stereo Box DS2



Pre Box DS2 analogue



Pre Box DS2 digital



CD Box DS2 T



AMPLIFIER

• Dual mono design principle • Built-in phono pre-amplifier with MM & MC capability • Other inputs: 3x analogue, 1x Bluetooth • 4th generation Bluetooth with aptX capability & antenna • Volume control with motor driven potentiometer • Headphone output with dedicated amplifier stage • Fixed & variable outputs for subwoofer or second zone amp • Trigger In and Output • IR remote & built-in App Remote Control via Bluetooth • Free Box Control App controls this device & other IR equipment • Available in silver or black with optional satin wooden side panels in Eucalyptus or Walnut



 Analogue RCA inputs • Fixed line level output as well as variable output • Mono subwoofer RCA output • Trigger in/out • RCA Line Level solid state output • Ultra linear circuit • Coupling-capacitor free signal path • Ultra low noise floor • IR remote control supplied • Weight: 1430 g (Alu) without powersupply; 1880 g (Wood) without powersupply • Available in silver or black with optional satin wooden side panels in Eucalyptus or Walnut



• Phono stage (MM/MC), Line In on board • 5 digital Inputs: 1x USB, 2x optical, 1x coax, 1x Bluetooth (aptX) • Top grade AK4490 D/A chip (32-bit PCM 768kHz / DSD256) • Up to 32bit/768kHz asynchronous USB (XMOS technology) • DSD64, DSD128 & DSD256 (DSD over PCM) • Up to 24bit/192kHz for optical & coax inputs • Headphone output on the front (6.3mm) • High-end ultra low phase oscillator with superior noise rejection • RCA line level solid-state analogue output stage • Ultra linear & ultra low noise circuitry • Weight: 1570 g (Alu); 2000 g (Wood) without powersupply • Available in silver or black with optional satin wooden side panels in Eucalyptus or Walnut



SOURCES

• Three digital outputs (Optical, S/PDIF Co-axial and AES/EBU) • Excellent 4-layer suspended CD transport • "Blue tiger" servo board for 1:1 CD playback • Luxurious slot-in mechanism • DC power supply (<1 Watt standby power consumption) High contrast dot-matrix display • Trigger in and output • Massive 3 mm aluminium faceplate • Solid cabinet protects against vibration and interference • Weight: 1620 g (Alu), without power supply; 2070 g (Wood), without power supply • Available in silver or black with optional satin wooden side panels in Eucalyptus or Walnut



CD Box DS2



DAC Box DS2 ultra



• Top grade AK4490 D/A chip (32-bit PCM 768kHz / DSD256) • 6 Inputs: 1x USB, 3x optical (TOSlink®), 2x coax (S/PDIF) • Up to 32bit/768kHz asynchronous USB (XMOS technology) • DSD64, DSD128 & DSD256 (DSD over PCM) • Up to 24bit/192kHz for optical & coax inputs • High-end ultra low phase oscillator with superior noise rejection • RCA line level solid-state analogue output stage • Separate power supplies for every stage with advanced filter technology • Weight: 1410 g (Alu), without power supply; 1880 g (Wood), without power supply • Full metal casing in silver or black • Available in silver or black with optional satin wooden side panels in Eucalyptus or Walnut

Stream Box DS2 T



Phono Box DS2





 Suitable for MM and MC cartridges • Precise RIAA equalisation • Dual mono circuitry for optimized channel separation • Selectable input impedance on front • Selectable input capacitance on front • Low noise ICs • Gold-plated RCA in & outputs • Sandwich alu/metal casing protects from vibrations and electromagnetic interference • Weight: 1320 g (Alu); 1770 g (Wood) without power supply • Available in silver or black with optional satin wooden side panels in Eucalyptus or Walnut



• HiRes capable CD player and DAC • PCM up to 32/384 and DSD256 (DoP) - via USB input • Four digital inputs (2x optical, coaxial, USB B) • Two digital outputs (optical, coaxial) • Line Level output (RCA) • Excellent 4-layer suspended CD transport • Blue Tiger CD-80 servo board for 1:1 CD playback • Luxurious slot-in mechanism • DC power supply (<1watt standby power consumption) • High contrast dot-matrix display • Trigger in and output • Solid cabinet protects against vibration and interference • Available in silver or black with optional satin wooden side panels in Eucalyptus or Walnut • Weight: 1520g (alu) without power supply 1920g (wood) without power supply





• 24 bit / 192 kHz Hires Audio streaming client • Spotify Connect support • Lossless streaming with TIDAL • WAV, AIFF, FLAC, WMA9 lossless, ALAC & AAC • FLAC decoding for all 9 compression levels including Level 0 (data rate up to approximately 9 mbit/s) • Gapless playback of all audio formats • Digital coax and optical output • Wifi 802.11 b/g allowing real 24/192 with Wifi • Special proprietary NetAPI implemented for fast access • Free Control APP (iOS & Android) • Weight: 2750 g without power supply • Available in silver or black with optional satin wooden side panels in Eucalyptus or Walnut



PHONO



Phono Box DS2 USB



Tube Box DS2



Power Box DS2 Sources



Power Box DS2 Amp



PHONO

• Suitable for MM and MC cartridges • Analogue RCA, USB and optical out on back • 3 Inputs (2 Phono, 1 Line) • Precise RIAA equalisation • Dual mono circuitry for optimized channel separation • Selectable input impedance on front • Digital output sampling frequency adjustable • Low noise circuitry • Gold-plated RCA in & outputs • Sandwich alu/metal casing protects from vibrations and electromagnetic interference • Weight: 1340 g (Alu); 1780 g (Wood) without power supply • Available in silver or black with optional satin wooden side panels in Eucalyptus or Walnut



• Suitable for MM and MC cartridges • Precise RIAA equalisation • Ultra low noise circuitry • Selection between 2 phono inputs & 2 line outputs • Dual mono circuitry for optimized channel separation • Selectable input impedance (for MC: fix or variable) • Selectable input capacitance (for MM) • Selectable subsonic filter • Gold-plated RCA in & outputs • Sandwich alu/metal casing protects from vibrations and electromagnetic interference • Dimensions (WxHxD): 206x91x227 mm (Alu); 240x93x227 mm (Wood) • Weight (without power supply): 1500 g (Alu) 1960 g (Wood) • Available in silver or black with optional satin wooden side panels in Eucalyptus or Walnut




POWER

• Universal linear power supply for up to 5 components & 1 turntable • Purest & cleanest power using non-switching power supply • Not suitable for integrated & power amplifiers, receivers etc • Soft start system avoids current inrush in primary winding • Audio type toroidal transformer • Main isolating transformer with copper foil shielding • Secondary voltage rectification with precise regulation • High filtration capacity (10.000 μ F) • Low ESR capacitors • Low noise components with surge protection • Input voltage: AC 230V/50Hz IEC C15 connector (120V/60Hz US) • Output voltage ripple: < 1mV • Weight: 3000g (aluminium), 3400g (wood) • Available in silver or black with optional satin wooden side panels in Eucalyptus or Walnut



Linear Power Supply Upgrade for Pro-Ject DS2 Series Power Amplifiers
Replaces original "switching" power supplies • Significant sound improvement with better dynamic and bass response, improved soundstage • Big toroidal transformer with copper shielding • Massive 3 mm aluminium faceplate • Solid cabinet protects against vibration and interference • Very low output impedance
Filtration capability 40.000 uF capacitors low ESR types • Weight: 4700g (aluminium)• Available in silver or black with optional satin wooden side panels in Eucalyptus or Walnut







What is Box Design RS?

The RS Line is our very top of the line series, featuring only the absolute best components. Class A circuitry, tube stages, analogue potentiometers - all to deliver the maximum sound. The RS Line features a harmonic and musical sound that convinces with a lush midrange and loads of emotions.



Amp Box RS



• Fully balanced double mono design (Pulse Wave Modulation) • Highly efficient conversion from mains to output power (92%) • 2 ohms drive capability • Tube buffer stage with reference quality • SMD construction for shortest signal paths Line level preamp inputs (RCA & XLR) • Top-quality speaker terminals • Metal casing protects against vibration and interference • DC power supply (< 1 Watt standby power) • 2x180/110 watts $4/8 \Omega$ • Dimensions (with sockets): 206x72x220 mm (WxHxD) • Weight: 2120 g without power supply • Colour options: silver or black





• Highly efficient conversion from mains to output power (92%) • 2 ohms drive capability • Tube buffer stage with reference quality • SMD construction for shortest signal paths • Line level preamp inputs (RCA & XLR) • Top-quality speaker terminals • Metal casing protects against vibration and interference • DC power supply (< 1 Watt standby power) • 1x180/120 watts 4/8 Ω • Dimensions (with sockets): 206x72x220 mm (WxHxD) • Weight: 1890 g without power supply • Colour options: silver or black



Head Box RS





Pre Box RS



• Fully balanced double mono design • Ultra-linear and ultra low noise • Pure Class A circuitry • Input switching via relais • Low ESR capacitors • Blue Alps volume control • 3 XLR & 3 RCA inputs • 1 Pre-out XLR & 1 Record-out RCA • DC power supply (< 1 watt standby power) • IR remote control included • Metal casing protects against vibration and interference • Dimensions (with sockets): 206x72x210 mm (WxHxD) • Weight: 1950 g without power supply • Colour options: silver or black



AMPLIFIER

899€

799€

• Fully balanced double mono design • Tube input stage • Class-A FET output stage • Switchable output impedance for ultimate performance • Superior low distortion • Low noise components for ultimate dynamic & detail • Output: 6.3mm socket • Optional Upgrade: Linear power supply Power Box RS Uni 1 (or 4) for further improved sound quality • Dimensions: 206x72x200 (209) mm (WxHxD)• Weight: 2150 g without power supply • Colour options: silver or black

799€

899€

Pre Box RS Digital



Stereo Box RS



CD Box RS



DAC Box RS



AMPLIFIER

• Switchable DAC chips: 2x PCM1792 or PCM5102 • 9 digital inputs: i²S, AES/ EBU, Toslink, S/PDIF coax • Analogue: Pre-out XLR/RCA/headphone, RCA input • Headphone amp with adaptable output impedance • Fully balanced double mono design • Output stage switchable between 6922 tube & solid state • Ultra-linear and ultra low noise • Pure Class A circuitry • Blue Alps volume control • DC power supply (< 1 watt standby power) • IR remote control included • Dimensions (with sockets): 206x72x210 mm (WxHxD) • Weight: 1950 g without power supply • Colour options: silver or black



• 2 x 120 Watts @ 4 ohms • 2 Ohms drive capability • Pure analogue audio circuitry • Dual mono & fully balanced design principle • 6 stereo line inputs (XLR & RCA) • Pre & subwoofer plus fixed level record out • Tube buffer input stage (6922) • Motor driven potentiometer • IR remote included • High class metal casing • DC power supply (< 1 Watt standby power) • Dimensions (with sockets): 206x72x210 mm (WxHxD) • Weight: 2650 g without power supply · Colour options: silver or black



SOURCES

• Toploading CD drive with aluminium cover plate • Magnetic clamp • Plays CD Audio, CD-R, CD-RW, Hybrid-SACD (44.1kHz/16bit CD layer only) • Plays formats: .wav, .flac (up to 24/96), .wma, .mp3 • Blue Tiger 100 Servosystem • Sonic Scrambling technology via I²S interface • I²S interface with RJ45 connection and BNC clock input for ultra low jitter • Full colour LCD screen displays time, tracks, text (if available) • Gravity design with central mass point • IR remote included • Dimension (with sockets): 72x206x210 mm (WxHxD) • Weight 3000 g without power supply • Colour options: silver or black



• Double top grade PCM-1792 D/A chip from Texas Instruments • 9 Inputs: USB, AES-EBU, optical (Toslink), coax (S/PDIF) • 24bit/192kHz asynchronous USB (XMOS technology) • DSD (up to DSD128) capability (DSD over PCM) • I2S interface for CD Box RS (sonic2data transfer technology) with additional clock synchronisation port (BNC) • 2 selectable digital filter settings • Fully balanced analogue audio circuitry • Tube output stage & solid-state output stage (switchable) • Ultra linear & ultra low noise circuitry • IR remote control included XLR & RCA line level output sockets • DC power supply (< 1 watt standby power) • Dimensions (with sockets): 206x72x210 mm (WxHxD) • Weight: 1890g without power supply . Colour options: silver or black



Stream Box RS



Phono Box RS



Power Box RS Amp



Power Box RS Phono



• Suitable for Pro-Ject Audio Systems power amplifiers • Replaces original "switching" power supplies • Almost double amplifier power output combined with Amp Box RS, Amp Box DS & Stereo Box RS (2x 200/120 watts 4/8 ohms) Significant sound improvement with better dynamic and bass response, improved soundstage • Compatible with Amp Box RS, Amp Box RS Mono, Stereo Box RS but also with Amp Box DS or Amp Box DS Mono • Big toroidal transformer with copper shielding • Very low output impedance • Filtration capability 40.000 uF capacitors low ESR types • Dimensions: 201x72x195 mm (WxHxD) Weight: 4800 g
 Colour options: silver or black



• Purest & cleanest power for Phono Box RS • Fully isolates Phono Box RS from mains interference and noise while playback • Advanced Lithium Polymer battery (one for each channel) • Playback time approximately 4 hours • Charging time approximately 4 hours • Optimised battery life due to intelligent micro-processor controlled charging electronics • Status indicator LEDs on front • Dimensions: 201x72x195mm (WxHxD) • Weight: 2030 g without power supply • Colour options: silver or black



SOURCES

• 24 bit / 192 kHz Hires Audio streaming client • Spotify Connect support (firmware 4.0.61.83 or higher) • Lossless-Streaming with TIDAL • XLR & RCA output • Volume control via analogue Alps potentiometer • Fully balanced double mono triode tube output stage • Top notch Highend PCM 1792A DAC • WAV, AIFF, FLAC, WMA9 lossless, ALAC & AAC • FLAC decoding for all 9 compression levels including level 0 (data rate up to approximately 9 mbit/s) • 1x digital coax & 1x digital optical inputs • Gapless playback of all audio formats • Fixed analogue & digital coax outputs (RCA) • Wifi 802.11 b/g allowing real 24/192 over Wifi • Special proprietary NetAPI implemented for fast access • Free Control APP (iOS & Android) • Colour options: silver or black

1.499€

• MM & MC capable • True dual mono design • Balanced XLR & unbalanced RCA In & Outputs • Fully passive RIAA & DECCA equalisation • Unique continously variable input impedance loading, matches every cartridge (adjustment even while playing) • RCA & XLR In & Out • Superior low noise / low distortion • Classy & elegant dip switches • DC power supply (< 1 watt standby power) • Metal casing protects against vibration and interference • Dimensions (with sockets): 206x72x210 mm (WxHxD) • Weight: 2000 g without power supply Colour options: silver or black

899€

POWER

499€

499€

PHONO

Power Box uni 1-way



Power Box uni 4-way



Control it DS/RS



Control it RS



POWER

• Purest & cleanest power using non-switching power supply • Soft start system avoids current inrush in primary winding • Audio type toroidal transformer • Main isolating transformer with copper foil shielding • Secondary voltage rectification with precise regulation • High filtration capacity (10.000 μ F) • Low ESR capacitors • Low noise components with surge protection • Output voltage / current: (1x) 20V / 3A max • Dimensions: 201x72x195 mm (WxHxD) • Weight: 4800 g • Colour options: silver or black



• Purest & cleanest power using non-switching power supply • Soft start system avoids current inrush in primary winding • Audio type toroidal transformer • Main isolating transformer with copper foil shielding • Secondary voltage rectification with precise regulation • High filtration capacity (10.000 μ F for each output) Low ESR capacitors • Low noise components with surge protection • Output voltage / current: (4x) 20V / 3A max • Dimensions: 201x72x195 mm (WxHxD) • Weight: 4800 g • Colour options: silver or black



REMOTE CONTROL

• Pre-programmed system remote • Control several Box Design components with a single remote • Replaces standard Box Design IR remotes • Compatible with DS2/DS/RS plus S components • Batteries included • Housing metal front made of brushed aluminium

) 39,90€

• Pre-programmed system remote • Control several Box Design components with a single remote • Replaces standard Box Design IR remotes • Compatible with RS products • Batteries included • Full aluminium housing & buttons

() 199€

DSD INPUTS 3 5 4

64 128 44 48 88 96 176 192 352 384

DAC 1 FIL1 SOLID



DAC 2 FIL 2 TUBE

6 7 8 9 10

81


CD Box RS2 T



• Ultimate CD Transport • Toploading CD drive • Magnetic clamp • Plays CD Audio, CD-R, CD-RW, Hybrid SACD • Blue Tiger CD-Pro 8 top loading module with suspension system and CD-84 servo board • I2S + Masterclock via HDMI connector • LCD screen displays time, tracks, text (if available) • Gravity design with central mass point • Supports: CD, CD-R, CD-RW (finalized) and Hybrid-SACD (44.1kHz/16bit CD layer only) • Digital outputs: AES3: 1 x balanced (AES/EBU) on XLR connector S/PDIF: 1 x optical (TOSlink®) 1 x coaxial (RCA socket) I2S + Master Clock: 1 x HDMI connector • Aluminium IR remote included • Available in a silver or black high-quality aluminium chassis • Dimensions W x H x D (D with sockets): 206 x 78 x 200 (210)mm • Weight: 3.000g without power supply



Pre Box RS2 Digital



DAC Box RS2





Phono Box RS2















What is Box Design RS2?

The RS2 Line is our new ultimate high-end series, taking our RS Line design approach to the next level.



SOURCES

2.495€

• Dual Mono DACs: 2 x ESS9038Q2M 32-bit • PCM 32Bit/768kHz, DSD512 (over USB) • 7 digital inputs: i²S HDMI, AES/EBU, Toslink, S/PDIF coax, USB, Bluetooth • 2 analogue inputs: unbalanced RCA, balanced XLR • 7 digital + 2 analogue filters • Unbalance RCA, balanced XLR, Headphone outputs • Hardware MQA Decoder and Renderer • Advanced upsampling and re-clocking for MQA and PCM Output stage switchable between tube and solid state • i²S + Masterclock connection over HDMI for use with CD Box RS2 T • IR remote in full aluminium chassis included • Available in silver and black

1.995€

• Dual Mono DACs: 2x ESS9038Q2M • High Quality optionally selectable upsampling of PCM and/or MQA content with propriatory filtering • Advanced re-clocking powered by new XMOS chip with Mulit-Core RISC architecture • 6 digital inputs: asynchronous USB, i²S HDMI, AES/EBU, Toslink, S/PDIF coax • Fully balanced double mono design • Output stage switchable between 6922 tube & solid state • Ultra-linear and ultra low noise • New high-quality display with responsive and fast UI design • High quality full Aluminium remote control included • Available in silver and black

1.699€

PHONO

• Fully balanced, fully discrete phono preamp of the highest class • MM & MC capable • Fully balanced, true dual mono design • Fully discrete hardware design - NO Op-amps! • Fully passive RIAA & DECCA equalisation • Balanced XLR & unbalanced RCA In & Outputs • Unique continously variable input impedance loading and channel balance control to match every cartridge to 100% (adjustment even while playing) • Superior low noise / low distortion • Metal casing protects against vibration and interference • Available in silver or black

1.499€



SPEAKERS

E - LINE

Speaker Box 5



Speaker Box 10

• Audiophile bass-reflex design • Recommended amplifier power 10 to 150 watts • Magnetically shielded • Front cover with magnetic attachment • Frequency response 55Hz - 20kHz • Gold-plated speaker terminal (single-wired) • Simple Wall-mount included • Speaker-Box Wall Bracket available as an option • Dimensions: 160x255x210 mm (WxHxD) • Weight: 4.2 kg • Colour options: High gloss white, black and red

• Audiophile 2-way design • Rear-ported bass-reflex cabinet • Recommended

amplifier power 10 to 150 watts • 1" Silk dome tweeter • 2 x 4.5" paper cone

midrange/woofers • Magnetic front grilles • Frequency range 50Hz - 20kHz

• Single-wired speaker terminal • Comes with adjustable spikes • Dimenson:140x920x190 mm (WxHxD) • Weight: 11.7 kg, net each

• Colour options: High gloss white, black and red

599€





eucalyptus



Speaker Box 10 S2





Sub Box 50



 Audiophile subwoofer • Full sound for any room • Compact size • Perfect companion for Speaker Box 5 and 10 • Low and high level input • Three amplifier modes • Down-firing bass driver • Metal back plate • Ultra stiff non resonating MDF cabinet Dimensions: 205x280x205 mm (WxHxD) • Weight: 6.0 kg • Colour options: High gloss white, black and red





S2 - LINE

• Audiophile bass-reflex design • Sophisticated internal bracing • Ultra stiff non resonating MDF cabinet • Audiophile direct-wired crossover - no PCB • Lead free solder • Ecofriendly glue from Kleiberit • Acoustically transparent front cover with magnetic attachment • Gold-plated speaker terminal (single-wired) • Handmade in Europe • Dimensions: 160x271x215 mm (WxHxD) • Weight: 4.9 kg • Colour options: High gloss black and white and real wood finishes: walnut,



• Audiophile 2.5-way design • Rear-ported bass-reflex cabinet • Sophisticated internal bracing • Ultra stiff non resonating MDF cabinet • Audiophile direct-wired crossover - no PCB • Lead free solder • Ecofriendly glue from Kleiberit • Acoustically transparent front cover with magnetic attachment • Gold-plated speaker terminal (single-wired) • Handmade in Europe • Dimensions: 140x898x195 mm (WxHxD) • Weight: 12.7 kg, net each • Colour options: High gloss black and white and real wood finishes: walnut, eucalyptus



999€

Speaker Box 5 DS2



Audiophile bass-reflex design • Sophisticated internal bracing • Ultra stiff non resonating MDF cabinet • Audiophile direct-wired crossover - no PCB • Lead free solder • Ecofriendly glue from Kleiberit • Acoustically transparent front cover with magnetic attachment • Gold-plated speaker terminal (single-wired)
• Handmade in Europe • Dimensions: 160x271x215 mm (WxHxD) • Weight: 5.0 kg • Colour options: High gloss black and white and real wood finishes: walnut, eucalyptus



Speaker Box 10 DS2



Speaker Box 15 DS2




• Audiophile 2-way design • Rear-ported bass-reflex cabinet • Sophisticated internal bracing • Ultra stiff non resonating MDF cabinet • Audiophile direct-wired crossover - no PCB • Lead free solder • Ecofriendly glue from Kleiberit • Acoustically transparent front cover with magnetic attachment • Gold-plated speaker terminal (single-wired) • Handmade in Europe • Dimensions: 160x898x195 mm (WxHxD) • Weight: 12.8 kg, net each • Colour options: High gloss black and white and real wood finishes: walnut, eucalyptus



• Audiophile 2.5-way design • Rear port bass reflex cabinet • Sophisticated internal bracing • Ultra stiff non resonating MDF cabinet • Gravity mass-point by sand filled cabinet • Audiophile direct-wired crossover - no PCB • Lead free solder Ecofriendly glue from Kleiberit • Acoustically transparent front cover with magnetic attachment (front and back) • Gold-plated speaker terminal (single-wired) • Height-adjustible spike feet with supports • Handmade in Europe • Dimensions: 160x978x260 mm (WxHxD) • Weight: 20.6 kg, per piece • Colour options: High gloss black and white and real wood finishes: walnut, eucalyptus










ACCESSORIES





Adaptor for use with 7-inch single records
Locates record centrally on turntable
No plastic - precision CNC-machined
Non-magnetic aluminium
Suitable for all brands and types of record players

• Suitable for all Pro-Ject tonearms • Allows fine adjustment of bearings, if misadjusted • Caution: for qualified personnel only • Includes 2 inserts for different bearings • Full metal (aluminium & brass)

• Multiple protractors on one template • Tool for cartridge alignment and adjustment • Suitable for other manufacturer's tonearms • Suitable for tonearms between 8" and 12" effective arm-length

Tool for cartridge alignment and adjustment • Special slip-proof tool for defining the turning centre of Pro-Ject tonearms • Adaptable to accommodate differing tonearm lengths • Also suitable for other manufacturers' tonearms
Suitable for tonearms between 8" (203mm) and 12"(305mm) effective length

Level it



• Spirit level for optimum positioning of a turntable



Strobe it



• Control of turntable speed

29€

Measure it S2



• Electronic stylus balance • 4 digit LCD-Display with backlight • Capacity 0 – 5g • Variance ±0,001g • Auto calibration function • Auto off after 120 seconds • Replacement batteries supplied



Qup



59€


Mount it



Measure it E



• Anti-magnetic precision screws • Stable installment of a cartridge • Made of stainless steel • Perfectly stable mounting of a cardridge • Three different sizes Including allen key



• 4 digit LCD display with backlight • 4 weighing modes • Wide capacity 0 - 5g Calibration weight • Precision data readouts with low variance • Auto calibration function • Auto power off after 30 seconds • Low power consumption • Button cell batteries included

35€







94 Accessories / Adjustment

• Automatic tonearm lifter for manual turntables • Lifts tonearm, when it moves to the end of a record • Extends stylus life • Suits nearly all tonearms and manual turntables • Includes three stackable platforms for turntables with thick platters • Adjustable trigger sensitivity • No AC or battery power needed • Easy to mount, no additional tools necessary

VINYL CLEANING

Brush it



Carbon-fibre brush for record cleaning





Vinyl Cleaner VC-E

Vinyl Cleaner VC-S2 ALU



• Record Washer System • Clean records sound better and help to protect the stylus from dust • Spin Clean is suitable for all kinds of records: LP's, 45's, 78's

Spin Clean Record Washer System MKII: Washer basin and lid Washer fluid 4oz One pair brushes MKII One pair rollers MKII Two washable drying cloths 99€

Spin Clean Record Washer System MKII Package LE: Translucent washer basin and lid Washer fluid 4oz Washer fluid 32oz Two pair brushes MKII One pair rollers MKII Seven washable drying cloths 159€

 Cleaning machine for vinyl & 78rpm shellac records • turns the record within 2 seconds per rotation • a new type of clamp seales the record label from cleaning fluid and avoids damage on the label

399€

• New cabinet laminated with 0,4mm of brushed aluminium • Aluminium surface is able to withstand cleaning liquid spill without damage • Cleaning machine for vinyl & 78rpm shellac records • turns the record within 2 seconds per rotation • a new type of clamp seales the record label from cleaning fluid and avoids damage on the label • high-end build-quality

499€

• Optimized cleaning efficiency for 7" records • 2 different versions suitable for alu & synthetic flange assembly versions of VC-S • Vacuum arm for 7" records including short adhesive velvet strips • Clamp for 7" records (standard clamp will not fit) • Wash it vinyl cleaning concentrate (100ml bottle) 119€



VC-S 7" Kit






Sweep it S2



Vinyl Clean



13€



• Record broom • Gently cleans your vinyl while playing • Heavy weight stand for secure standing • Uni-pivot design • Brush made of natural hair

69€



• Premium Record broom • Gently cleans your vinyl while playing • Heavy weight stand for secure standing • Neodymium magnet stabilization • Uni-pivot design • Brush made of natural hair • Height adjustable

99€




• Dry-cleaning for record and stylus • Perfectly cleans in-depth, removes dust and debris from record grooves and pick-up head.

Wash it



New highly concentrated cleaning formula by Pro-Ject • Wash it cleans vinyl records & shellacs • Wash it contains only high-purity components
Eco-friendly - Non-toxic - Non-flammable • Record looks like new after washing • Dissolves a wide range of impurities including fat/grease • For very dirty records repeat the cleaning process • Evaporates quickly and leaves zero residues • Optimum mix ratio 1:10 to 1:20 with distilled/demineralized water
do not use tap water • Optimum application temperature 20 - 40 degrees (mixing ratio for warmed Wash it is 1:20) • Optimum storage temperature 10 - 25 degrees

100 ml / 16,99 € 250 ml / 24,90 € 500 ml / 34,90 € 1000 ml / 49,90 €



HEADPHONES

Hear it One



Hear it Two

• Smart, audiophile & comfortable • Classic design • Adjustable leather-coated headband • Soft leather ear cushions (memory foam) • Textile coated cable made from oxygen-free copper (HP-OFC) • Gold plated 3.5mm jack plug • High gloss & metal finish

99€



Cover it E

79€

79€

Cover it RPM 1/3 Carbon



• Super loud – super light – super cool • more SPL with iPod & Co (107 dB) • Lightweight design (77 g) • adjustable ear-cushion position • flat transport possible • high wear comfort • 3.5 mm jack plug • 3 colour options: red, white, black





Cover it RPM 5/9



99€


100 Accessories / Headphones

DUSTCOVERS

 Clear acrylic dustcover for turntables • suitable for: Elemental, Elemental Phono USB

 Clear acrylic dustcover for turntables • suitable for: RPM 1 Carbon, RPM 3 Carbon

 Clear acrylic dustcover for turntables • suitable for: RPM 5 Carbon, RPM 9 Carbon



Cover it 2.1



- Clear acrylic dustcover for turntables • suitable for: RPM 9 Carbon, Ground it deluxe 2

229€



grey, yellow

Wallmount it

Rack it

LIFESTYLE



Model Wallmount it 1 Wallmount it 2 Wallmount it 3 Wallmount it 5



• Individual colours give your turntable a very special appearance

• Lifestyle rack system for turntables & Box Design components • Stackable or optionally suitable for wall mount • One Rack it cube holds approximately 150 LPs • Shelves include mounting tools & supporting rod for CD/DVD • Dimensions Rack it cube: 535x376x440 mm (BxHxT) • Dimensions Rack it Shelf: 485x7x380 mm (BxHxT) • Matt or high gloss colour options: white, black, champagne, petrol,

Rack it Cube: 109 € (matt) / 249 € (high gloss) Rack it Shelf: 25 € (matt) / 39,90 € (high gloss)

• Resonance-free wall mount for turntables & Hifi • WMI wall mounts use rigid steel frame construction • Height-adjustable spikes to level the board

Dimensions	Colors	Max Load	Price
460 x 355mm	black	30 kg	129€
460 x 355mm	black	30 kg	159€
520 x 450mm	black	30 kg	299€
460 x 400mm	black & walnut	30 kg	199€





Wallmount it 2



Wallmount it 3



Wallmount it 5

Connect it E



Connect it C



Connect it CC



Connect it SI



• High quality stereo NF cable • Ideal for turntable connection • High purity oxygen-free copper (HP-OFC) • 2 individually shielded conductors per channel Semi balanced geometry • Low capacitance • Low distortion level, neutral sound • Earth wire with spade connectors • Pre-configured as RCA>RCA or 5P>RCA

• Model Phono RCA-C: Interconnect cable with earthing wire, 4x RCA phono

plugs • Model RCA-C: Interconnect cable, 4x RCA phono plugs • Model Y-cable

RCA-C: Y-Interconnect cable, 1x RCA phono plug + 2x RCA phono plugs • Model

0,205m 0,41m 0,82m 1,23m 1,85m 2,46m 4,92m

69€

45€ 85€ 99€

79€ 89€ 109€ 159€

RCA-35-C: Interconnect cable, 1x 3 pole mini-jack (3,5mm Ø) + 2x RCA phono

59€

49€ 59€ 69€

79€ 89€

49€

69€

39€

plugs

Model 5P-SI

Model RCA-SI

Model Phono RCA-SI

Model Phono RCA-C

Model Y-cable RCA-C

Model RCA-35-C

Model RCA-C

AUDIO CABLES

Connect it LS S2



Model Connect

Connect it LS DS2



• 4 wire speaker cable • Solid core technology • High purity oxygen-free copper (HP-OFC) • Circular array geometry • Low distortion level, neutral sound • Suitable for Fullrange and Bi-wiring • Ideal in combination with Box Design components • Made in Austria

Model Connect

Connect it Power DS



• High conductivity power cable with improved shielding • Replace standard power connections, which come with Power Box components • Avoids cable spaghetti through individual lengths

Connect it Powe Connect it Powe Connect it Powe

Connect it Power RS



Connect it Powe Connect it Powe Connect it Powe Connect it Powe Connect it Powe

1x 5-pole standard tonearm socket, Option.90° angled 5-pol. standard tonearm socket • Modell Phono RCA-CC: Interconnect cable with earthing wire, 4x RCA phono plugs • Modell RCA-CC: Interconnect cable, 4x RCA phono plugs

• Modell 5P-CC: Interconnect cable with earthing wire, 2x RCA phono plugs +

	0,205m	0,41m	0,82m	1,23m	1,85m	2,46m	4,92m
Model 5P-CC			129€	139€	159€		
Model Phono RCA-CC			89€	99€	129€		
Model RCA-CC	69€	79€	84€	99€	129€	149€	259€

• Model 5P-SI: Interconnect cable with earthing wire, 2x RCA phono plugs + , 1x

0,205m 0,41m 0,82m 1,23m 1,85m 2,46m 4,92m

329€ 449€ 599€

299€ 399€ 599€

139€ 199€ 299€ 399€ 599€ 799€ 1.299€

5-pole standard tonearm socket, Option.90° angled 5-pol. standard tonearm

socket • Model Phono RCA-SI: Interconnect cable with earthing wire, 4x RCA

phono plugs • Model RCA-SI: Interconnect cable, 4x RCA phono plugs

104 Accessories / Cables

SPEAKER CABLES

• 4 wire speaker cable • Solid core technology • High purity oxygen-free copper (HP-OFC) • Circular array geometry • Low distortion level, neutral sound • Suitable for Fullrange and Bi-wiring • Ideal in combination with Box Design components • Made in Austria

	2,0 m	3,0 m	4,0 m	
it LS S2	39,90€	49,90€	59,90€	

	2,0 m
it LS DS2	129€

POWER CABLES

	0,20m	0,41m	0,82m	1,23m	1,85m
er DS 18V 2.5-2.5		39,90€	45,00€	45,00€	50,00€
er DS 15V 2.1 - Phono DC 15V 2.1		39,90€	45,00€	45,00€	50,00€
er DS 9V 1.3-1.3		39,90€	45,00€	45,00€	50,00€

• High conductivity power cable with improved shielding • Replace standard power connections, which come with Power Box components • Avoids cable spaghetti through individual lengths

	0,20m	0,41m	0,82m	1,23m	1,85m
er RS DS 48V-48V		39,90€	45,00€	45,00€	50,00€
er RS 20V mini XLR-mini XLR Phono	49,00€	49,00€	55,00€	55,00€	60,00€
er RS 20V miniXLR - miniXLR		49,00€	55,00€	55,00€	60,00€
er RS miniXLR–18V 2,5	49,00€	49,00€	55,00€	55,00€	60,00€
er RS miniXLR - Phono DC 15V 2.1	49,00€		55,00€	55,00€	

High Power it



POWER CABLES

• Proper grounding dramatically reduces grounding hum of "floating mass" systems/amplifiers • 3 pin DC power supply with ground connection • Delivers cleaner current and more power to all Pro-Ject turntables • Input: 100-240V AC, 1.0A, 50-60Hz • Output: +15V DC, 2.0A • Output power: 30W max. • Diameter DC plug: 2.1mm • Dimensions: 85 x 47 x 33 mm • Weight: 180 g (w/o power cord)

24,90€

Juke Box Highpower Supply



The Juke Box Highpower Supply is a great upgrade for your Juke Box E and Juke Box S2. • 50% more peak power • Incressed dynamic and bass response
3 pin power connector • True ground connection can dramatically reduce hum and noise under critical power conditions • Power input: 100-240V AC 50/60Hz
• Power output: 24V DC 4A • Dimensions: 59 x 37 x 151mm (WxHxD)
• Weight: 0,44 kg net

59€



Connect it LS DS2 with Speaker Box 5 S2

SOUND OPTIMIZING

Acryl it

Acryl it E



• Suitable for Debut and 1Xpression turntables • Substitutes metal platter • Inert material avoids resonances • Dent for label implemented • Ideal for use with Clamp it • Audiophile sound tuning • Optical upvaluation



• Suitable for Elemental, Primary E, Essential III and Juke Box E • Substitutes MDF platter Inert material avoids resonances • Dent for label implemented • Ideal for use with Clamp it • Audiophile sound tuning • Optical upvaluation



• Perfect companion for RPM 1 Carbon • Substitutes MDF platter • Integrated inverted RPM 1 Carbon bearing housing • Inert material avoids resonances • Protects vinyl surfaces • Audiophile sound tuning • Optical upvaluation • Ideal for use with Clamp it

169€

Acryl it RPM 3 Carbon

Acryl it RPM 1 Carbon



• Perfect companion for RPM 3 Carbon • Substitutes MDF platter • Inert material avoids resonances • Integrated inverted RPM 3 Carbon bearing housing • Protects vinyl surfaces • Audiophile sound tuning • Optical upvaluation • Ideal for use with Clamp it

179€



• Sound improvement for all turntables • Reduces unwanted resonances while playback • Fast and easy mounting • Fine-adjustment of thightening force • Full metal accessory with leather coating • Diamond cut finish



Cork it

Clamp it





Cork & Rubber it



Damp it









• Alternative platter mats with special sound characteristcs • Substitutes felt mats • Damping of resonances from metal turntable platters • Less noise • Avoids static load • Suitable for all turntables



• High quality turntable mat • A mixture of cork and rubber • Substitutes felt mats • Damping of resonances from metal turntable platters • Less noise • Available with 1mm & 3mm thickness • Avoids static load • Suitable for all turntables



1mm version: 39,90 € 3mm version: 49,90 €

• Special absorber feet for effective decoupling • Made from hightech TPE (thermoplastic elastomers) • Prevents transmission of mechanical vibration • Optimised to absorb frequencies from 20-500 Hz • Especially for bookshelf speakers, Disc players, turntables, tube amplifiers and more • Extremely costeffective sound upgrade • Available single (bulk) or package containing 4 pieces



single / 7,99 €; 4 pieces / 29,90 €

Ground it E



• Suitable for: Elemental Line, Essential Line, Debut Line, 1Xpression Carbon 1Xpression Carbon Classic, RPM1 Carbon, RPM3 Carbon • Support platform for many turntables or other equipment • Prevents the transmission of vibrations • Heavy-weight MDF • Conical feet with damping ring • Height adjustable

 Combinable with Cover IT E and Cover IT RPM 1/3 Carbon • High gloss piano finish • Weight: 4 kg

129€

Ground it deluxe



• Resonance free placement for turntables & Hifi • Heavy weight base filled with granular damping • 2 models with adjustable spikes (3 or 4 may be fitted) • 1 model with height adjustable magnetic feet • Dark grey piano lacquer finish Matches charcoal finish of Pro-Ject turntables

Model	Dimensions	Weight	Price
Ground it deluxe 1	500 x 65 (45)x 400 mm incl spikes (without spikes)	11,6 kg	299€
Ground it deluxe 2	435 x 65 (45)x 340 mm incl. spikes (without spikes)	8,5 kg	299€
Ground it deluxe 3	500 x 65 (45) x 400 mm incl. feet (without feet)	13,5 kg	550€

Record Puck



Signature Headshells



Built-in fingerlift

69€

wood and carbon / 99 €; alu / 125 €

Ground it Carbon



Leather it



• Suits all high-end turntables, especially designed for: Xtension 9, Xtension 10 Xtension 12, Signature 10, Delivered with RPM 10 Carbon • Resonance free placement for turntables & Hifi • Clearly noticeable sound improvement • Heavy weight base filled with granular damping • 4 magnetic decoupling feet • Piano lacquer finish with carbon layer on top • Matches charcoal finish of Pro-Ject turntables • Weight: 14,5 kg



• Alternative platter mats with special sound characteristcs • Substitutes felt mats • Damping of resonances from metal turntable platters • Less noise • Avoids static load • Suitable for all turntables • Perfect combined with Clamp it Colors: black or grey



49€

Absorb it



• Special absorber feet in stylish metal housing • Made from high-tech synthetic rubber material • Prevents transmission of mechanical vibration • Optimised to absorb frequencies from 20-500 Hz • Especially for CD players, turntables & tube amplifiers • Package includes 4 pieces • Effective decoupling · Colour options: black or silver

159€

The Classic Evo Sub-platter



dealer on upgrade.

119€



Heavy weight record puck

• Fits all tonearms with SME mounting standard • 1/2 inch cartridge mount • 3 different headshell materials: Alu, Carbon, Oak • High conductivity OFC headshell cables included • High rigidity & low mass • Low resonance construction • Non magnetic • Azimuth adjustment with screw on side

• Suitable for The Classic turntables with standard sub-platter • Precision machined out of aluminium to the lowest tolerances • Adds more mass and further damps unwanted resonances • Increases speed accuracy and short term speed stability (Wow & Flutter) • Weight: 700g • The old platter has to be returned to the



78rpm Pulley Set



Pulley SB

• The 78 rpm Pulley Set consits of a new drive pulley and drive belt suitable for playback of 78 rounds per minute • best used for records that need to be played at this speed, like older schellack records


• drive pulley suitable for playback of 78 rounds per minute

17€

9€



• 9" precision tonearm with carbon-fibre armtube • The headshell and armtube are fashioned from a single piece of carbon-fibre • Conical armtube avoids standing wave reflections • Inverted bearing design with four ABEC7 spec ballraces • Design of counterweight effectively counteracts unwanted resonances • Counterweight shaft lowered to record level • Straight armtube reduces toe-in error • Silicone-damped armlift can be adjusted to suit arm height • Weight: 250 g (without counterweight) 579€



9cc



699€

9cc Evolution



10cc Evolution



• 10" precision tonearm with carbon-fibre armtube • The headshell and armtube are fashioned from a single piece of carbon-fibre • Conical armtube avoids standing wave reflections • Inverted bearing design with four ABEC7 spec ballraces • Design of counterweight effectively counteracts unwanted resonances • Counterweight shaft lowered to record level • Straight armtube reduces toe-in error • Silicone-damped armlift can be adjusted to suit arm height • Available with 5-pole standard socket, flying leads or terminal with phono sockets and earth screw.• Weight: 335 g (without counterweight)

879€

829€

• 10" precision tonearm with carbon-fibre armtube • The headshell and armtube are fashioned from a single piece of carbon-fibre • Conical armtube avoids standing wave reflections • Inverted bearing design with four ABEC7 spec ballraces Design of counterweight effectively counteracts unwanted resonances • Counterweight shaft lowered to record level • Straight armtube reduces toe-in error • Silicone-damped armlift can be adjusted to suit arm height • Weight: 335 g (without counterweight)

• 9" precision tonearm with carbon-fibre armtube • The headshell and armtube are fashioned from a single piece of carbon-fibre • Conical armtube avoids standing wave reflections • Inverted bearing design with four ABEC7 spec ballraces • Design of counterweight effectively counteracts unwanted resonances • Counterweight shaft lowered to record level • Straight armtube reduces toe-in error • Silicone-damped armlift can be adjusted to suit arm height • Available with 5-pole standard socket, flying leads or terminal with phono sockets and earth screw• Weight: 265 g (without counterweight)



12cc Evolution



Signature Tonearm 9"



Signature Tonearm 10"



• 12" precision tonearm with carbon-fibre armtube/headshell • Conical carbon-fibre armtube avoids standing wave reflections • Inverted bearing design with four hardened ABEC7 spec ballraces • Solid armbase permits accurate height adjustment of armtube and VTA (vertical tracing angle) • Single-screw fixing of armtube allows rotation for easy adjustment of needle azimuth despite fixed headshell • Highly flexible top-grade copper internal wiring • Linn standard mount • Available with 5-pole standard socket, flying leads or terminal with phono sockets and earth screw

799€

• 12" precision tonearm with carbon-fibre armtube/headshell • The headshell and armtube are fashioned from a single piece of carbon-fibre • Conical armtube avoids standing wave reflections • Inverted bearing design with four ABEC7 spec ballraces • Design of counterweight effectively counteracts unwanted resonances • Counterweight shaft lowered to record level • Straight armtube reduces toe-in error • Silicone-damped armlift can be adjusted to suit arm height • Available with 5-pole standard socket, flying leads or terminal with phono sockets and earth screw.• Weight: 271 g (without counterweight)

929€

Single pivot design with minimised bearing friction • Non magnetic low resonance construction • Fits low to high cartridge mass, including 32gr. SPU
High rigidity aluminium headshell (12gr) with built-in fingerlift included, allows 1/2 inch cartridge mount • High conductivity OFC headshell cables included
Azimuth adjustment with screw on side • Built-in 5-pin DIN connector (tone-arm cable not included) • High gloss finish • Measure it, Alignment + Mounting distance tools included • Delivered in exclusive wooden jewel box • Optional headshells available: Wood (8gr) & Carbon (10gr)

1.690€

• Single pivot design with minimised bearing friction • Non magnetic low resonance construction • Fits low to high cartridge mass, including 32gr. SPU • High rigidity aluminium headshell (12gr) with built-in fingerlift included, allows 1/2 inch cartridge mount • High conductivity OFC headshell cables included • Azimuth adjustment with screw on side • Built-in 5-pin DIN connector (tonearm cable not included) • High gloss finish • Measure it, Alignment + Mounting distance tools included • Delivered in exclusive wooden jewel box • Optional headshells available: Wood (8gr) & Carbon (10gr)

1.790€

Signature Tonearm 12"



• Single pivot design with minimised bearing friction • Non magnetic low resonance construction • Fits low to high cartridge mass, including 32gr. SPU • High rigidity aluminium headshell (12gr) with built-in fingerlift included, allows 1/2 inch cartridge mount • High conductivity OFC headshell cables included • Azimuth adjustment with screw on side • Built-in 5-pin DIN connector (tonearm cable not included) • High gloss finish • Measure it, Alignment + Mounting distance tools included • Delivered in exclusive wooden jewel box • Optional headshells available: Wood (8gr) & Carbon (10gr)

1.990€

CARTRIDGES

Pick it 2M Silver

oradon

Pick it 25A



Pick it S2 MM



Pick it DS2 MC



• Moving Magnet principle • Coil windings made from pure silver to achieve higher quality and more dynamic playback compared with conventional MM cartridges • Suitable for low to medium tonearm masses • 1/2 inch mounting standard • High trackability • 2M Silver should be connected to phono MM inputs • As with most MM cartridges, stylus may be exchanged

199€

Replacement Stylus 129 €

• Moving Magnet principle • Coil windings made from pure silver to achieve higher quality and more dynamic playback compared with conventional MM cartridges • Suitable for low to medium tonearm masses • 1/2 inch mounting standard • High trackability • Pick it 25A should be connected to phono MM inputs • As with most MM cartridges, stylus can be exchanged



• Moving Magnet principle • Split pole pins enables frequency responses that com pares very well to MC cartridges • Suitable for low to medium tonearm masses • 1/2 inch mounting standard • High trackability • Pick it S2 MM should be connected to phono MM inputs • As with most MM cartridges, stylus may be exchanged



• Moving Coil principle • Simple and fast mounting • High fidelity • Exceptionally lively • Very detailed with low distortion • Needs MC-compatible phono input Robust polyamid-body • Resonance free thanks to laser-sintering-process • Rigid mounting plate out of metal • Threaded holes for simple mouting without nuts • Optimum contact to headshell thanks to three-point pad

699€



Pick it S2 C



• Moving I Ideal for n phono sta body 129 €



• Moving Magnet principle • Simple and fast setup • High output voltage Ideal for medium weight tonearms (15-20g) • Very dynamic • Suiteable for MM phono stages • Needle can be exchanged if needed • Robust Polycarbonate



Replacement Stylus 79 €



Beethoven's "Pastoral" & "Egmont"



• Ludwig Van Beethoven - Karl Böhm - Wiener Philharmoniker • Symphony 6 "Pastorale" - Overture "Egmont" • Remastered with care and love from the original master tape by Georg Burdicek • True analogue re-mastering • Pressed on 180g premium-quality vinyl in highest precision by Pallas Germany • Audiophile sound experience • 2x 180gr vinyl

•Richard Strauss – Herbert von Karajan – Wiener Philharmoniker • All analogue

AAA production • Don Juan, Op. 20 • Tod und Verklärung, Op. 24 • Also sprach

Zarathustra, Op. 30 [1-7] • Remastered with care and love from the original master tape by Georg Burdicek • Produced in co-operation with Pro-Ject Audio Systems to reproduce the original music and sound experience of these famous concerts in the Sofiensaal, Vienna, held and recorded in the 1950's and 1960's • True analogue re-mastering • Pressed on 180g premium-quality vinyl in highest precision by Pallas Germany • Audiophile sound experience • 2x 180gr vinyl

39,90€

39,90€

Richard Strauss "Also sprach Zarathustra"



Gustav Mahler - Symphony No2



W. A. Mozart - No. 25, 35 & 39



• The Vienna Philharmonic conducted by Zubin Mehta • Limited edition exclusively for Pro-Ject Audio Systems (only 2000 copies available worldwide) • 2x 180 g heavyweight virgin vinyl • Original gatefold cover • Audiophile sound experience • Remastered From Original Decca Analogue Tapes at Abbey Road Studios • 1975 The Decca Record Company Limited, London • In celebration of Zubin Mehtas 80th birthday • Includes voucher for free download of digital copy Cast: Vienna Philharmonic, Zubin Mehta (Conducter) 39,90€

• The Vienna Philharmonic conducted by Riccardo Muti • Live recording from the Wiener Musikverein • Audiophile sound experience • Remastered from original master tapes by Georg Burdicek • 2x 180 g heavyweight virgin vinyl • Audiophile pressing made by Pallas /Germany) • Limited edition exclusively for Pro-Ject Audio Systems(only 2000 copies available worldwide) • Every copy is numbered by hand • Gatefold cover • Produced in cooperation with Pro-Ject Audio Systems

39,90€

Fritz Reiner - Moussorgsky / Ravel: Pictures at an Exhibition



(Dirigent) 55€

Ginga - Yes / No



22,99€

DELADAP ReJazzed



35€

Hans Theessink "70 Birthday Bash"



39,90€

LPs

• 200 g Virgin Vinyl • Audiophile mastered • Modest Moussorgsky (1839-1881), (Orch. Maurice Ravel) • Musicians: Chicago Symphonie Orchester, Fritz Reiner

• 2 x 180g virgin vinyl, young pop/folk band from Vienna

• 180g virgin vinyl • audiophile pressing • Box Set Limited Edition • Style: Nu-Disco, Swing, Jazzdance

On 4th, 5th, 6th and 7th April 2018 Hans Theessink recorded his legendary Birthday Bash concerts at the Metropol in Vienna. Fans and musical friends came from all over Europe and North America to celebrate Hans' 70th birthday. The atmosphere was splendid and the performers took us on a marvelous musical journey. This 180 gram vinyl LP is a unique Birthday Bash document full of great moments and unusual sessions.

Hans Theessink - Slow Train



Mistysa – Macumba



Ortofon Test Record



Stravinsky - The Firebird Suite



• Audiophile pressing • 180 g Virgin Vinyl • Direct metal mastering • Natural ambient sound, no reverb effects • No overdubs • Recorded in Austria Made in Europe's foremost vinyl manufacturing

25,99€

• 180 g virgin vinyl • Direct from analogue master-tape • Limited edition • Original cover-art • Made in USA

15,90€



• 180 g Virgin Vinyl • 40th anniversary edition • Recorded at Trident, Ramport

Studios and Scorpio Sound, London between February and June 1974

• Made in EU • incl. a voucher to download MP3 of the album

39,90€

45€



7	R	4	1			10	
3	1ZZ	ź	Â	ROF	é.	4 A	-
÷.	Ŕ		Ŕ	2	1	Â	-2
4	\$	\$	4	\$	\$	\$	-

• Studio and Live Recording in all analogue AAA production • Recorded at Studio Baumgarten & the Pro-Ject Headquarters • Pure analogue recording, mixing and mastering • No cuts - no edits - just live and natural • Available as Vinyl LP or direct Master Tape Copy • Double Vinyl 2x 180g in 33 RPM • Pressed on 180g premium-quality vinyl, handcrafted by austro vinyl in Austria 39,90€



Wieder Gansch & Paul



• All analogue AAA production • Recorded at the legendary Casino Baumgarten Studio - live without overdubs • Pure analogue recording, mixing and mastering • Double Vinyl 2x 180g in 33 RPM • Pressed on 180g premium-guality vinyl in highest precision by Pallas Germany • Audiophile sound experience

24,99€

Rachmaninoff - Symphonic Dances



recording • 33 1/3 RPM

45€

Jacintha - Autumn Leaves



For her sixth album, Jacintha as the best-known jazz vocalist from Singapore pays homage to songwriter Johnny Mercer. Her warm, clear, delicate approach to storytelling enables the vocalist to deliver each favorite song in a comfortable manner with intimacy and charm. A small ensemble culled from L.A.'s finest jazz accompanists backs her. Jacintha is at her best when incorporating her impeccable enunciation on "I Remember You" and when dipping into her rich lower vocal register for a loping arrangement of "Trav'lin' Light.". Jacintha's warm, fragile, sophisticated delivery makes for an honorable tribute and a recommended listening experience.

49,90€

122 LPs

Also available as direct Mastertape copy

• Audiophile pressing • 180 g Virgin Vinyl • half-speed mastered • a Prof. Johnson

Sgt Peppers's Lonely Hearts Club Band Edition



"Sgt Peppers's Lonely Hearts Club Band" is the eighth studio album of the English band "The Beatles". Which was released 1967 in the UK. The release of the album encouraged the change in the pop music industry, which started in 1966. Hardly an album of pop music had been produced with a comparable effort so far. In addition, "Sgt. Pepper" fitted through his psychedelic playfulness in the so-called" summer of love "


39,90€


The Rolling Stones: Studio Albums



"The Rolling Stones: Studio Albums Vinyl Collection 1971-2016" is a comprehensive collection of all Stones vinyl albums released since 1971. For the limited vinyl box edition, all 15 albums (on 20 LPs) were remastered from the original bands.


399€





ANNIVERSARY PRODUCTS

ANNIVERSARY PRODUCTS



Celebrate with our Anniversary Products

With the Anniversary Products we celebrate with our partners and friends. Some of the products are also celebrations of our own. We often use very special materials in the Anniversary Products, such as parts of instruments or copper bodies. These goods are very often strictly limited.

Ortofon Century



• 100 year jubilee edition turntable • Ortofon Concorde Century special cartridge pre-installed • Electronic speedcontrol (33/45 rpm) • Belt drive principle • Height adjustable decoupling feet • Precision balanced TPE -damped aluminium-platter • Metal/MDF sandwich chassis floating on TPE suspension • 9" aluminium s-shape tonearm with SME compatibility • Japanese ball bearing (base of tonearm) • Integrated central vertical cable outlet for unhindered arm movement • Ultra low friction Zircon pin-point cardan bearings • Azimuth and VTA fully adjustable • TPE damped counterweight • Classic piano black wooden chassis • Dustcover included • Top grade clamp included • Leather mat included

2.990€



Phono Box ultra 500



350€

• We have sold over 500.000 units of our Phono Box • Phono Box ultra 500 is like no other phono preamplifier in its segment • polished chrome surface • Underneath this surface there is a copper body, which is known to effectively protect againgst high frequency interferences • fully discrete, OpAmp less design • polystyrene capacitors • These capacitors are known amongst audiophiles as the holy grail of phono preamplifiers



Pro-Ject Audio Systems a Division of Audio Tuning Vertriebs GmbH

Margaretenstraße 98 1050, Vienna, AUSTRIA

Headquarter & Logistics: Wirtschaftspark A5 Mistelbach/Wilfersdorf Analogweg 1, 2130 Mistelbach, AUSTRIA

E-Mail: info@project-audio.com Heinz Lichtenegger (CEO)

www.project-audio.com instagram.com/projectaudiosystems www.facebook.com/PJ.Audio.Systems

Lifestyle photography location Debut Carbon EVO: Hotel Altstadt Vienna. Technical data and prices without engagement. Printed in Austria by Riedel druck.