

STAX[®]

SR-009

Top-of-the-line electrostatic earspeaker



009

T A K 匠 U M I



D



● MLER (Multi Layer ElectRodes)



● Precise machine processing enclosure

I G N I T Y



● Silver-coated high-purity copper cable of 99.9999% (6Nines)



● 10-step slider



● STAX 5PIN Connector

PRIDE AND JOY

It will exactly be as a result of "work" each predecessor piled up, if a race, a company, and an individual have "pride". And it clearly depends on the way of life we live now to inherit it and to bear "enhancement" and "evolution." Simply this is proven by the fact that the state-of-the-art technologies in the world exist intensively in present-day Japan. Making valuable new things full of creativity by skillfully taking advantage of these technologies has given birth to a "millennium" earspeaker .

TECHNOLOGY AND MATERIAL DIAPHRAGM

The newly developed sound element has been adopted in the SR-009. New high polymer ultra-thin film material called the super engineering plastics - the reinforced material of the conventional engineering plastics - is employed for the diaphragm of the sound element. Materials superior especially in tone quality have been selected to attain the extremely excellent frequency characteristic from low to super-high as well as the vast dynamic range.

ELECTRODES

New electrodes named MLER (Multi Layer ElectRodes) have also been developed to realize the plane drive of the whole film diaphragm surface. While infinite thinness and flatness are required for the fixed electrodes, they simultaneously need to have other characteristics such as low resonance, high transmissivity of sound wave, and so on. The entirely new electrodes have been completed through the unification of metal plates processed with ultra-precision photograph etching using the high technology of heat diffusion combination on the atomic level.

ENCLOSURE

Aluminum is a metal good for sound and suitable material for audio equipment. It is abundantly used, e.g. at the frame supporting the appearance and sound element, to realize high-quality sound, rigidity and lightweight. Almost every part of the SR-009 is manufactured through precise machine processing.

CABLE

The high-purity copper developed from the necessity of wiring large-scale integration circuits is also known as high-quality audio cables. High-purity copper cable of 99.9999% (6Nines) purity adopted for the cable is further silver-coated and finished with the most suitable structure to drive the earspeaker.

EARPAD

The earpad of a new design is carefully made by a craftsman's hand and features both the real leather with good humidity environment and the cushion material with moderate elasticity. The new earpad enables hours of comfortable listening to music.

ARC (head band)

The arc is equipped with a position adjustment mechanism of 10-step slider and corresponds to the wide range of cranial form with individual difference.

MUSICAL MILLENNIUM

If a technology is not suitable for music, you should not adopt it even if it is a high-tech. Every technology should contribute to music reproduction. The SR-009 is the product of the repeated research trip to technology and material search without deviating from our stance to return to live sound and music always with refined sensitivity.

STAX®


electrostatic audio products Since 1938



SRM-007tII
Driver unit for earspeaker



SRM-727II
Driver unit for earspeaker



SRE-950S/925S
Silver coated 6-N OFC extend cable
for earspeaker



HPS-2
Earspeaker stand

SR-009 *Top-of-the-line electrostatic earspeaker*

SPECIFICATIONS ● **Type:** push-pull electrostatic circular sound element, open-air type enclosure ● **Frequency response:** 5 - 42,000Hz ● **Electrostatic capacitance:** 110pF (including cable) ● **Impedance:** 145kΩ (including cable, at 10kHz) ● **Sound pressure sensitivity:** 101dB / input 100Vr.m.s. / 1kHz ● **Maximum sound pressure level:** 118dB / 400Hz ● **Bias voltage:** 580V DC ● **Right/left channel indication:** 'L' and 'R' indicated on the arc assembly (inside head spring), solid line (left) and dotted line (right) on the cable ● **Earpad:** real leather (skin touching surrounding portion), high-quality artificial leather (mounting portion) ● **Cable:** silver-coated 6N (99.9999%) OFC parallel 6-strand, low-capacity special wide cable, 2.5m full length ● **Weight:** 596g (including cable), 454g (without cable)

STAX Ltd. <http://www.stax.co.jp>

- * Please enjoy your earspeaker with moderate volume level so as not to stimulate your ears too much.
- * Specifications and appearance are subject to change for improvement.
- * The color of the product may differ from actual color due to printing process.
- * The minimum availability period of service parts is 8 years after discontinued.